

A new understanding of limit theorem (Lower/Upper Bound Theorem) and its application to stability analysis

メタデータ	言語: jpn 出版者: 公開日: 2022-11-04 キーワード (Ja): キーワード (En): 作成者: Ohta, Hideki メールアドレス: 所属:
URL	https://doi.org/10.24517/00067584

This work is licensed under a Creative Commons
Attribution-NonCommercial-ShareAlike 3.0
International License.



1989 Fiscal Year Final Research Report Summary

A new understanding of limit theorem (Lower/Upper Bound Theorem) and its application to stability analysis

Research Project

Project/Area Number

63550359

Research Category

Grant-in-Aid for General Scientific Research (C)

Allocation Type

Single-year Grants

Research Field

基礎・土質工学

Research Institution

Kanazawa University, Faculty of Technology

Principal Investigator

OHTA Hideki Kanazawa University, Faculty of Technology, Professor, 工学部, 教授 (80026187)

Co-Investigator(Kenkyū-buntansha)

NISHIHARA Akira Fukuyama University, Faculty of Engineering, Associate Professor, 工学部, 助教授 (90164574)

MATSUMOTO Tatsunori Kanazawa University, Faculty of Technology, Instructor, 工学部, 助手 (10143877)

NISHIDA Yoshichika Kanazawa University, Faculty of Technology, Professor, 工学部, 教授 (60019693)

Project Period (FY)

1988 - 1989

Keywords

limit analysis / perfect plasticity / lower / upper bound theorem / non-associated flow rule / bearing capacity / undrained strength / anisotropy / slip lines

Research Abstract

The bearing capacity of anisotropically consolidated clay is analyzed by the theory based on the limit theorem (Upper/Lower Bound Theorem) taking the effect of anisotropy of the undrained strength into account. Particularly, in this investigation, the limit theorem was generalized.

This generalization of the theory does not require the assumption of 'associated' flow rule. And then A method to search such admissible collapse mechanism was newly developed in this investigation. The limit analysis using this new method does not require the special technique to search the admissible collapse mechanism which is close to the exact solution. This method can form the admissible collapse mechanism without any artificial trial.

The variations of bearing capacity factors with K_0 are given for various types of shear test. The bearing capacities calculated by the present theory show fairly good agreement with the experimental results. The undrained strength measured by shear tests should be corrected in connection with the strength anisotropy and the effect of shear rate when they are introduced in conventional stability analysis. The correction factors for strength anisotropy are given by using present theory for various kinds of test strength.

Research Products (6 results)

All Other

All Publications (6 results)

- [Publications] 太田秀樹: "破壊への道程—新しい土質力学の体系を求めて—" 第34回土質工学シンポジウム発表論文集、土質工学会、23-26 (1989) ▼

- [Publications] Nishihara,A.and Ohta,H.: "Undrained bearing capacity of anisotropically consolidated clay" Proc.6th Numerical Methods in Geomechanics,Innsbruck. 1. 675-682 (1988) ▼

- [Publications] Ohta,H.,Nishihara,A.,Iizuka,A.,Morita,Y. Fukagawa,R.and Arai,K.: "Unconfined compression strength of soft aged clays" Proc.12th International Conference of Soil Mechnics and Foundation Engineering.1. 71-74 (1989) ▼

- [Publications] Nishihara, A. and Ohta, H.: "Undrained bearing capacity of anisotropically consolidated clay" Proc. 6th Numerical Methods in Geomechanics, Innsbruck, Vol.1, pp.675-682. ▼

- [Publications] Ohta, H., Nishihara, A., Iizuka, A., Morita, Y., Fukagawa, R. and Arai, K.: "Unconfined compression strength of soft aged clays" Proc. 12th International Conference of Soil Mechanics and Foundation Engineering, Vol.1, pp.71-74. ▼

- [Publications] Ohta, H.: "approaches to the failure, ---- grope for new system of soil mechanics ----" Proc. 34th Symposium, JSSMFE pp.23-26, 1989. ▼

URL: https://kaken.nii.ac.jp/report/KAKENHI-PROJECT-63550359/635503591989kenkyu_seika_hokoku_

Published: 1993-03-25