

Unusual Delayed Hydrocephalus After Bare Platinum Coil Embolization of an Unruptured Aneurysm

—Case Report—

Kouichi MISAKI, Naoyuki UCHIYAMA, Masanao MOHRI,
Yuichi HIROTA, Yutaka HAYASHI, and Jun-ichiro HAMADA

Department of Neurosurgery, Graduate School of Medical Science,
Kanazawa University, Kanazawa, Ishikawa

Abstract

A 69-year-old woman developed hydrocephalus after the embolization of an incidentally detected unruptured large internal carotid artery aneurysm with bare platinum coils. Endovascular embolization resulted in near-total aneurysm occlusion. She complained of mild headache 18 hours after the procedure and magnetic resonance (MR) imaging performed on the 6th post-treatment day revealed wall enhancement and perianeurysmal brain edema. Follow-up MR imaging showed recanalization of the aneurysm and gradual ventricular enlargement. She presented with typical symptoms of hydrocephalus including disorientation, gait disturbance, and urine incontinence at 7 months post-embolization. We removed 30 ml of cerebrospinal fluid by lumbar tap, which improved her condition without symptom recurrence for 2 months. She did not require shunt placement. Post-interventional hydrocephalus is known in patients with unruptured aneurysms embolized with bioactive second-generation coils. This case shows that hydrocephalus can occur after aneurysm embolization with bare platinum coils without intracranial hemorrhage.

Key words: hydrocephalus, endovascular embolization, unruptured aneurysm, bare platinum coil, complication

Introduction

Endovascular coil embolization is less invasive and effectively prevents bleeding from intracranial aneurysms,^{7,14,19} but a major disadvantage is aneurysm recurrence.^{4,11,14} Biologically active detachable coils have been developed to reduce the recurrence rates and achieve more durable occlusion. However, adverse effects such as symptomatic local inflammation, aseptic meningitis, and communicating hydrocephalus have occurred in patients treated with polymer polyglycolic-lactic acid-coated coils (Matrix, Boston Scientific, Fremont, Calif., U.S.A.; Cerecyte, Micrus Endovascular, San Jose, Calif., U.S.A.) and hydrogel-coated coils (HydroCoil, MicroVention, Aliso Viejo, Calif., U.S.A.).^{2,3,5,6,9,10,12,13,16} In contrast, no cases of hydrocephalus after embolization of unruptured aneurysms with bare platinum coils have been reported. Here we present a patient with aneurysm recurrence and hydrocephalus after embolization of a large unruptured internal carotid artery aneurysm with bare platinum coils.

Case Report

A previously healthy 69-year-old woman was admitted for

endovascular treatment of an incidentally detected aneurysm of the left internal carotid artery (18.8 × 16.1 × 15.3 mm) (Fig. 1A). Magnetic resonance (MR) imaging revealed no aneurysmal thrombus formation and no perianeurysmal brain edema, and no evidence of subarachnoid hemorrhage, ventricular obstruction, or neoplasm.

Three days prior to the procedure administration of




Fig. 1 Left internal carotid angiograms, lateral view. Angiogram obtained before coil embolization showing a large saccular aneurysm on the internal carotid artery (A). Post-embolization angiogram revealing occlusion of the aneurysm except for a small saccular filling with contrast material (B). Angiogram showing coil loosening and aneurysm recanalization 7 months post-treatment (C).




Fig. 2 Axial gadolinium-enhanced time-of-flight (A–C) and fluid-attenuated inversion recovery magnetic resonance images (D–F) obtained 6 days (A, D) and 3 months (B, E) post-embolization, and after the appearance of hydrocephalus (C, F), showing wall enhancement and perianeurysmal edema 6 days post-embolization (A, D; arrows), which had progressed 3 months after treatment (B) and receded subsequently (C). Perianeurysmal edema had disappeared 3 months after treatment (E, F).

aspirin (100 mg/day) was begun. Endovascular occlusion was performed under general anesthesia and systemic heparinization. Fifteen Guglielmi detachable coils (GDC 18: 280 cm, GDC 10: 220 cm; Boston Scientific) and one 15-cm Orbit coil (Cordis, Miami Lakes, Fla., U.S.A.) with a total coil length of 515 cm were positioned in the aneurysm. Post-embolization angiography revealed occlusion of most of the aneurysm sac, but a small area around the neck showed opacification (Fig. 1B). No thromboembolic complications or aneurysm rupture occurred during the procedure.

She was afebrile and neurologically intact after the procedure, but complained of mild headache 18 hours later that had improved 7 days later without steroid administration. MR imaging on the 6th post-embolization day disclosed thin aneurysm wall enhancement on time-of-flight (TOF) images with gadolinium, which was seen more clearly 3 months later (Fig. 2A, B). Fluid-attenuated inversion recovery images showed extensive brain edema adjacent to the treated aneurysm on the 6th post-treatment day, which had disappeared 3 months after treatment (Fig. 2D, E). Computed tomography (CT) showed the lateral ventricles gradually enlarged and the Evans index (ratio of the maximum width of the frontal horns to the maximum width of the inner table of the cranium) increased from 0.27 at admission to 0.29 (Fig. 3A, B, D, E), but she exhibited no obvious symptoms of hydrocephalus.

Angiography was performed at 7 months post-treatment (Fig. 1C). Follow-up TOF imaging with gadolinium showed aneurysm recurrence. Three days later she presented with gradually progressing disorientation, gait disturbance, and urine incontinence, and she was hospitalized again 2 days later because she could not walk unaided. CT showed expansion of the lateral ventricles




Fig. 3 Computed tomography scans before (A, D), and 1 month (B, E) and 7 months (C, F) after endovascular coil embolization showing gradually progressing ventricular enlargement, with Evans index of 0.27, 0.29, and 0.32, respectively. Note that the inferior horn of the lateral ventricle and the third ventricle have obviously expanded (F, arrows).

and Evans index of 0.32 (Fig. 3C, F). MR imaging disclosed no acute stroke or perfusion anomalies, and no aneurysm wall enhancement or brain edema (Fig. 2C, F). Lumbar tap withdrew 30 ml of cerebrospinal fluid (CSF), and subarachnoid pressure was 13 cmH₂O. The CSF was clear, and protein and glucose concentrations were 51 mg/dl and 84 mg/dl, respectively. The white blood cell count was 4 lymphocytes/mm³, and no organisms were identified in any cultures. Blood test showed no inflammatory reactions such as leukocytosis or elevated C-reactive protein. She was able to walk and urinate 6 hours after the lumbar tap, and her mini-mental state examination score improved from 12 to 28 points 3 days after the withdrawal of CSF. MR imaging continued to show ventricular enlargement, but her symptoms did not recur over the course of 2 months and shunt placement was not required. She was discharged without neurological deficits and she is being followed up for further embolization in the event of aneurysm recurrence.

Discussion

Several cases of hydrocephalus after aneurysm embolization with bioactive second-generation coils such as Matrix and HydroCoils have been documented (Table 1).^{2,5,6,10,12,13} The reported incidences of hydrocephalus after embolization with bare platinum coils, Matrix coils, and HydroCoils are 0%, 0%, and 17.6%, respectively,⁶ and 2 other patients developed post-interventional hydrocephalus after aneurysm embolization with both Matrix coils and HydroCoils.¹³ No post-embolization hydrocephalus occurred in a series of 126 patients with 143 unruptured aneurysms treated with bare platinum coils.¹⁰ The present case of hydrocephalus without intracranial hemorrhage after aneurysm embolization with

Table 1 Summary of patients showing hydrocephalus after endovascular coil embolization for intracranial unruptured aneurysms

Author (Year)	Age (yrs), Sex	Aneurysm location, Size	Occlusion grade	Coils	Cerebrospinal fluid			Adverse effects (time from treatment)				Shunt insertion	
					Protein (mg/dl)	Glucose (mg/dl)	Cell (/mm ³)	Meningismus or headache	Wall enhancement	Perianeurysmal edema	Hydrocephalus		Aneurysm recurrence
Meyers et al. (2004) ^{1a)}	52, F	Poph, large	complete	BC, HC, MC	101	57	51	yes (26 hrs)	yes (26 hrs)	yes (26 hrs)	yes (NA)	no	yes
Berenstein et al. (2006) ²⁾	75, F	Poph, large	residual aneurysm	BC, HC	*	*		NA	NA	NA	yes (9 wks)	NA	yes
	46, M	ICA, small	residual aneurysm	BC, HC	*	*		NA	NA	NA	yes (6 wks)	NA	yes
	79, M	PCoA, large	residual neck	BC, HC	*	*		NA	NA	NA	yes (1 wk)	NA	yes
Im et al. (2007) ¹⁰⁾	56, F	ICA, small	NA	BC, HC	43	48	1017	yes (18 hrs)	NA	NA	yes (6 mos)	no	yes
Deshaies et al. (2007) ³⁾	NA	oph, large	NA	HC	NA	NA	NA	yes (NA)	NA	NA	yes (NA)	NA	yes
Kang et al. (2007) ¹²⁾	67, F	ICA, small	NA	BC, HC	**	**		NA	NA	NA	yes (NA)	NA	no
	64, F	ICA, small	NA	BC, HC	**	**		NA	NA	NA	yes (NA)	NA	yes
	67, F	ICA, small	NA	BC, HC	**	**		NA	NA	NA	yes (NA)	NA	yes
	41, M	ICA, large	NA	BC, HC	**	**		NA	NA	NA	yes (NA)	NA	no
	51, F	BA, small	complete	BC, HC	**	**		NA	NA	NA	yes (NA)	NA	yes
Fanning et al. (2008) ⁹⁾	56, M	BA, small	residual aneurysm	BC, HC	NA	NA	NA	no	no	no	yes (30.6 mos)	no	yes
	67, F	Poph, large	residual aneurysm	BC, HC	NA	NA	NA	yes (NA)	yes (NA)	yes (NA)	yes (11.8 mos)	no	no
	45, F	BA, large	complete	BC, HC	NA	NA	NA	yes (NA)	no	no	yes (7.8 mos)	no	no
Present case	69, F	ICA, large	residual aneurysm	BC	51	86	4	yes (18 hrs)	yes (6 days)	yes (6 days)	yes (7 mos)	yes (3 mos)	no

*Two of 3 patients had finding of an aseptic non-specific inflammatory process. **Elevated protein, normal glucose, and pleocytosis (32–3800/mm³). BA: basilar artery, BC: bare platinum coils, HC: HydroCoils, ICA: internal carotid artery, MC: Matrix coils, NA: not available, oph: ophthalmic, PCA: posterior cerebral artery, PCoA: posterior communicating artery, Poph: paraophthalmic.

bare platinum coils is extremely unusual. MR imaging shows aneurysm inflammation after coil embolization, which is associated with post-treatment hydrocephalus, as aneurysm wall enhancement and perianeurysmal brain edema.^{6,13} Histological study confirmed inflammatory reaction adjacent to the coil-embolized aneurysm wall.^{1,8,15} The reported incidences of wall enhancement after embolization with bare platinum coils, Matrix coils, and HydroCoils are 18.6%, 25.7%, and 81.8%, respectively.⁶ Perianeurysmal edema occurs as a result of the spread of wall inflammation to the surrounding brain.^{6,9,16} The incidences of perianeurysmal edema after embolization with bare platinum coils, Matrix coils, and HydroCoils are 0%, 0%, and 29.4%, respectively.⁶ These findings suggest that induction of aneurysm inflammation is less likely in the presence of bare platinum coils than bioactive coils, but aneurysm recurrence after embolization with bare platinum coils results in symptomatic brain edema and wall enhancement.^{9,17} In our patient, follow-up imaging studies showed post-embolization aneurysm recurrence, wall enhancement, and ventricular dilation, suggestive of aneurysm inflammation.

Table 1 summarizes cases of post-embolization hydrocephalus in patients with unruptured aneurysms.^{2,5,6,10,12,13} Large aneurysms are defined as aneurysms with a maximum sac dimension of at least 11 mm, and small aneurysms as those with smaller sac dimensions.¹⁴ Two previous patients developed hydrocephalus after bare platinum coil embolization,¹⁸ but we excluded these patients from our summary because they presented with posterior fossa hemorrhage and subarachnoid hemorrhage, respectively. Table 1 indicates that CSF analysis showed elevated protein levels and pleocytosis, but normal glucose levels and negative culture studies, indicating non-specific aseptic meningitis.^{2,10,12,13} These CSF and MR imaging findings suggest that long-term aseptic meningitis is involved in the appearance of post-treatment hydrocephalus. Headache and meningismus after aneurysm coil embolization may be predictive of delayed hydrocephalus. The administration of glucocorticoids reportedly reduces the level of aneurysm inflammation.^{3,5,9,12,16} Although we did not treat our patient with steroids, the effectiveness of steroid administration to prevent post-treatment hydrocephalus needs investigation. In our patient, CSF protein level was slightly elevated but no significant pleocytosis was present. Although MR imaging showed inflammatory responses reflected by wall enhancement and brain edema in the early stage after embolization, CSF analysis yielded no definite evidence of inflammation. We suggest that hydrocephalus in our patient improved after only one lumbar puncture because the aneurysm inflammation was milder than that seen after embolization with bioactive coils.

Post-embolization hydrocephalus can occur even after endovascular intervention with bare platinum coils. We suggest that patients with MR imaging evidence of wall enhancement and perianeurysmal brain edema after coil embolization be followed up to detect the delayed appearance of hydrocephalus.

References

- 1) Bavinski G, Talazoglu V, Killer M, Richling B, Gruber A, Gross CE, Plenk H: Gross and microscopic histopathological findings in aneurysms of the human brain treated with Guglielmi detachable coils. *J Neurosurg* 91: 284–293, 1999
- 2) Berenstein A, Song JK, Niimi Y, Namba K, Heran NS, Brisman JL, Nahoum MC, Madrid M, Langer DJ, Kupersmith MJ: Treatment of cerebral aneurysms with hydrogel coated platinum coils (HydroCoil): Early single-center experience. *AJNR Am J Neuroradiol* 27: 1834–1840, 2006
- 3) Cloft HJ: Correction of HEAL Registry Data Report. *AJNR Am J Neuroradiol* 27: 2023, 2006
- 4) Cloft HJ: HydroCoil for Endovascular Aneurysm Occlusion (HEAL) study: 3–6 month angiographic follow-up results. *AJNR Am J Neuroradiol* 28: 152–154, 2007
- 5) Deshaies EM, Adamo MA, Boulos AS: A prospective single-center analysis of the safety and efficacy of the hydrocoil embolization system for the treatment of intracranial aneurysms. *J Neurosurg* 106: 226–233, 2007
- 6) Fanning NF, Willinsky RA, TerBrugge KG: Wall enhancement, edema, and hydrocephalus after endovascular coil occlusion of intradural cerebral aneurysms. *J Neurosurg* 108: 1074–1086, 2008
- 7) Gallas S, Pasco A, Cottier JP, Gabrillargues J, Drouineau J, Cognard C, Herbreteau D: A multicenter study of 705 ruptured intracranial aneurysms treated with Guglielmi detachable coils. *AJNR Am J Neuroradiol* 26: 1723–1731, 2005
- 8) Groden C, Hagel C, Delling G, Zeumer H: Histological findings in ruptured aneurysms treated with GDCs: Six examples at varying times after treatment. *AJNR Am J Neuroradiol* 24: 579–584, 2003
- 9) Horie N, Kitagawa N, Morikawa M, Tsutsumi K, Kaminogo M, Nagata I: Progressive perianeurysmal edema induced after endovascular coil embolization. Report of three cases and review of the literature. *J Neurosurg* 106: 916–920, 2007
- 10) Im SH, Han MH, Kwon BJ, Jung C, Kim JE, Han DH: Aseptic meningitis after embolization of cerebral aneurysms using hydrogel-coated coils: Report of three cases. *AJNR Am J Neuroradiol* 28: 511–512, 2007
- 11) Kai Y, Hamada J, Morioka M, Yano S, Kuratsu J: Evaluation of the stability of small ruptured aneurysm with a small neck after embolization with Guglielmi detachable coils: Correlation between coil packing ratio and coil compaction. *Neurosurgery* 56: 785–792, 2005
- 12) Kang HS, Han MH, Lee TH, Shin YS, Roh HG, Kwon OK, Kwon BJ, Kim SY, Kim SH, Byun HS: Embolization of intracranial aneurysms with hydrogel-coated coils: Result of a Korean multicenter trial. *Neurosurgery* 61: 51–59, 2007
- 13) Meyers PM, Lavine SD, Fitzsimmons BF, Commichau C, Parra A, Mayer SA, Solomon RA, Connolly ES: Chemical meningitis after cerebral aneurysm treatment using two second-generation aneurysm coils: Report of two cases. *Neurosurgery* 55: 1222, 2004
- 14) Murayama Y, Nien YL, Duckwiler G, Gobin YP, Jahan R, Frazee J, Martin N, Vinuela F: Guglielmi detachable coil embolization of cerebral aneurysms: 11 years' experience. *J Neurosurg* 98: 959–966, 2003
- 15) Shimizu S, Kurata A, Takano M, Takagi H, Yamazaki H, Miyasaka Y, Fujii K: Tissue response of a small saccular aneurysm after incomplete occlusion with a Guglielmi detachable coil. *AJNR Am J Neuroradiol* 20: 546–548, 1999
- 16) Stracke CP, Krings T, Moller-Hartmann W, Mahdavi A, Klug N: Severe inflammatory reaction of the optic system after endovascular treatment of a supraophthalmic aneurysm with

- bioactive coils. *AJNR Am J Neuroradiol* 28: 1401-1402, 2007
- 17) Ushikoshi S, Kikuchi Y, Houkin K, Miyasaka K, Abe H: Aggravation of brainstem symptoms caused by a large superior cerebellar artery aneurysm after embolization by Guglielmi detachable coils—case report. *Neurol Med Chir (Tokyo)* 39: 524-529, 1999
- 18) White JB, Cloft HJ, Kallmes DF: But did you use hydrocoil? Perianeurysmal edema and hydrocephalus with bare platinum coils. *AJNR Am J Neuroradiol* 29: 299-300, 2008
- 19) Wiebers DO, Whisnant JP, Huston J 3rd, Meissner I, Brown RD Jr, Piegras DG, Forbes GS, Thielen K, Nichols D, O'Fallon WM, Peacock J, Jaeger L, Kassell NF, Kongable-Beckman

GL, Torner JC; International Study of Unruptured Intracranial Aneurysms Investigators: Unruptured intracranial aneurysms: Natural history, clinical outcome, and risks of surgical and endovascular treatment. *Lancet* 362: 103-110, 2003

Address reprint requests to: Naoyuki Uchiyama, M.D., Department of Neurosurgery, Graduate School of Medical Science, Kanazawa University, 13-1 Takara-machi, Kanazawa, Ishikawa 920-8641, Japan.
e-mail: uchiyama@ns.m.kanazawa-u.ac.jp