

LIST OF PUBLICATIONS (1985-1987)

Department of Molecular Biology

Nomura, T. & Kameyama, T.

Tumorigenicity of mouse teratocarcinoma cell PC-C4 depending on culture conditions. Proceedings of the 44th Annual Meeting of the Japanese Cancer Association, P. 215, 1985 (in Japanese).

Matsuda, M., Nomura, T.

& Kameyama, T.

Small nuclear RNA-protein complexes (snRNPs) from mouse teratocarcinoma cells. *Zoological Science*, 2 (6), P. 910, 1985 (in Japanese).

Iida, K., Iida, Y., Kameyama, T.

Takahashi, Y., Mai, M. & Satoh, N.

Amplification of oncogenes in primary and transplanted human stomach cancers. Proceedings of the 45th Annual Meeting of the Japanese Cancer Association, P. 509, 1986 (in Japanese).

Matsuda, M., Nomura, T.

& Kameyama, T.

Isolation of U1-snRNP(s) from mouse teratocarcinoma cells using immunochemical and biochemical procedures: High proportion of U1a-snRNP to U1b-snRNP. *J. Biochem.* 99, 895-900, 1986.

Matsuda, M. & Kameyama, T.

Fractionation of ribonucleic acid transcripts synthesized during spore germination in *Bacillus subtilis*. *J. Basic. Microbiol.*, 26, 91-99, 1986.

Matsuda, M., Yamada, T., Nomura, T., Iida, Y. & Kameyama, T.

Electrophoretic characterization of low molecular weight RNAs from prokaryotic and eukaryotic cells. *The physico Chemical Biol.*, 30, 201-206, 1986.

Rubin, H. & Nomura, T.

Physiological constraints on tumor growth. Proceedings of 78th Annual Meeting of the American Association for Cancer Research, P. 68, 1987.

Nomura, T. & Kameyama, T.

In vivo diffusion chamber culture reduces the tumorigenicity of PCC4-azal teratocarcinoma cells. *Cancer Letters*, 34, 21-26, 1987.

Iida, K., Iida, Y., Kameyama, T. & Mai, M.

A transforming gene from a human stomach cancer. Proceedings of 46th Annual Meeting of the Japanese Cancer Association, P.127, 1987 (in Japanese).

Rubin, H. & Nomura, T.

The use of lymph in cell culture to model hormonal and nutritional constraints on tumor growth in vivo. *Cancer Res.*, in press, 1987.

Nomura, T. & Rubin, H.

Quantitative studies of amino acid and growth factor requirements of transformed and non-transformed cells in high concentrations of serum or lymph. *In Vitro*, Submitted.

Department of Virology

Tanaka, J., Kamiya, S., Ogura, T., Sato, H. & Hatano, M.

Effect of dimethyl sulfoxide on interaction of human cytomegalovirus with host cell: Conversion of a nonproductive state of cell to a productive state for virus replication. *Virology*, 146, 165-176, 1985.

Tanaka, J. & Hatano, M.

Human cytomegalovirus: Cellular function(s) required for virus replication. *Microbiol. Sciences*, 2, 353-358, 1985.

Kamiya, S., Tanaka, J., Ogura, T., Sato, H., Ogura, H., Yoshie, T., & Hatano, M.

Abortive infection with human cytomegalovirus induces an alteration of growth pattern: Morphological changes with cytocidal effect in rabbit kidney epithelial cells. *Arch. Virol.*, 86, 143-150, 1985.

Asamoto, A.

Examination of enzyme-linked immunosorbent assay (ELISA) for detection of human cytomegalovirus (HCMV) specific IgM antibody and its applicability to clinical screening program for HCMV infection in pregnancy. *J. Juzen Med. Soc.*, 94, 634-652, 1985 (in Japanese).

Takimoto, T., Ogura, H., Sato, H., Umeda, R. & Hatano, M.

Isolation of transforming and early antigen-inducing Epstein-Barr virus from nasopharyngeal carcinoma hybrid cells (NPC-KT). *JNCI*, 74, 57-60, 1985.

Takimoto, T., Ishikawa, S., Umeda, R., Ogura, H. & Hatano, M.

Effects of human interferon on cell proliferation and antigens induced by Epstein-Barr virus in epithelial hybrid cells derived from nasopharyngeal carcinoma. *Otolaryngol. Head & Neck Surg.*, 93, 500-504, 1985.

Amano, S.

Effect of bacterial extracts from oral bacteria, particularly *Lactobacillus casei*, O123 strain, on cell growth and virus multiplication. *J. Juzen Med. Soc.*, 94, 1155-1168, 1985 (in Japanese).

Miyawaki, T., Seki, H., Taga, K., Sato, H. & Taniguchi, N.

Dissociated production of interleukin-2 and immune (γ) interferon by phytohemagglutinin stimu-

lated lymphocytes in healthy infants. *Clin. exp. Immunol.*, 59, 505-511, 1985.

Ueno, Y., Miyawaki, T., Seki, H., Matsuda, K., Taga, K., Sato, H. & Taniguchi, N.

Differential effects of recombinant human interleukin-2 on natural killer cell activity of peripheral blood in early human development. *J. Immunol.*, 135, 180-184, 1985.

Kamiya, S., Tanaka, J., Ogura, T., Ogura, H., Sato, H. & Hatano, M.
Rabbit kidney cells abortively infected with human cytomegalovirus are arrested in mitotic phase. *Arch. Virol.*, 89, 131-144, 1986.

Kamiya, S., Tanaka, J., Ogura, T., Sato, H., Ogura, H. & Hatano, M.
Latent infection of human ovarian teratocarcinoma cells with human cytomegalovirus. Brief report, *Arch. Virol.*, 91, 175-181, 1986.

Ogura, T., Tanaka, J., Kamiya, S., Sato, H., Ogura, H. & Hatano, M.
Human cytomegalovirus persistent infection in a human central nervous system cell line: Production of variant virus with different growth characteristics. *J. gen. Virol.*, 67, 2605-2616, 1986.

Sato, H., Takimoto, T., Ogura, H., Tanaka, J., Hatano, M. & Glaser, R.
Heterogeneity of Epstein-Barr virus derived from nasopharyngeal carcinoma that has transforming and lytic properties. *JNCI*, 76, 1019-1024, 1986.

Sato, H.
Biological characteristics of Epstein-Barr virus (EB-V) derived from nasopharyngeal carcinoma. *J. Juzen Med. Soc.*, 95, 268-278, 1986 (in Japanese).

Takimoto, T., Sato, H., Ogura, H. & Glaser, R.
Rescue of a biologically active Epstein-Barr virus (EBV) from nonproducer cells. *Cancer Res.*, 46, 2085-2087, 1986.

Takimoto, T., Sato, H., Ogura, H. & Glaser, R.
Superinfection of epithelial hybrid cells (D98/HR-1, NPC-KT and A2L/AH) with Epstein-Barr virus and the relationship to the C3d receptor. *Cancer Res.*, 46, 2541-2544, 1986.

Takimoto, T., Sato, H. & Ogura, H.
Primary EBV infection of human umbilical cord lymphocytes and EBV genome-negative lymphoblastoid cell lines (BJAB and Ramos). *Auris. Nasus. Larynx (Tokyo)*, 13, 199-205, 1986.

Takimoto, T., Umeda, R., Sato, H., Hatano, M. & Glaser, R.
Early diagnosis of nasopharyngeal carcinoma by immunological assay for Epstein-Barr virus. *JOHNNS*, 2, 58 (912)-62 (916), 1986 (in Japanese).

Iida, H.

Relationship between trypsin-dependent replication and antigenic variation of influenza B virus newly isolated from recent epidemic. *J. Juzen Med. Soc.*, 95, 820-833, 1986 (in Japanese).

Sato, H., Miyawaki, T., Natsume-Sakai, S., Taga, K., Hatano, M. & Taniguchi, N.

Monoclonal antibody which has the neutralizing activities for human IL-2. *J. Biol. Res. Modif.*, 5, 191-201, 1986.

Sato, H., Sakai, S., Watanabe, Y., Hatano, M., Murayama, T. & Koshimura, S.

Induction of lymphokines by OK-432 in human peripheral blood lymphocytes. *Proc. Jap. Cancer Assoc.*, The 45th Annual Meeting, Oct., 1986 (Sapporo), No.595 (in Japanese).

Sakai, S., Sato, H., Hatano, M., Murayama, T. & Koshimura, S.

Functional activation of human peripheral blood macrophage ($M\phi$) by OK-432 in vitro. *Proc. Jap. Cancer Assoc.*, The 45th Annual meeting, Oct., No.1249, 1986 (Sapporo) (in Japanese).

Okada, Y., Katsuda, S., Nakanishi, I. & Tanaka, J.

The enhancement of phagocytic activity of cultured smooth muscle cells by dimethyl sulfoxide. *J. Electron Microsc.*, 35, 195-198, 1986.

Ogura, T.
Human cytomegalovirus persistent infection in a human nervous system cell line: Mechanisms of establishment and maintenance of the persistent infection. *J. Juzen Med. Soc.*, 96, 58-70, 1987 (in Japanese).

Tanaka, J., Ogura, T., Sato, H. & Hatano, M.

Establishment and biological characterization of an in vitro human cytomegalovirus latency model. *Virology*, 161, 62-72, 1987.

Tanaka, J., Ogura, T., Iida, H., Sato, H. & Hatano, M.

Inhibitors of prostaglandin Synthesis inhibit growth of human cytomegalovirus and reactivation of latent virus in a productively and latently infected human cell line. *Virology* (in Press), 1988.

Sato, H., Takimoto, T., Ogura, H., Tanaka, J., Hatano, M., Raab-Traub, N. & Pagano, J. S.

Epstein-Barr virus with transforming and early antigen-inducing ability originating from nasopharyngeal carcinoma: mapping of the viral genome. *J. Virol.* (in Press), 1988.

Takimoto, T., Sato, H., Ogura, H., Iwawaki, J., Ishikawa, S., Tanaka, S. & Matsuda, K.

Relationship between Epstein-Barr virus receptor and complement receptor. Igakunoayumi, 140, 53-54, 1987 (in Japanese).

Takimoto, T., Sato, H., Ogura, H.,

Ishikawa, S. & Miyazaki, T.

Transfection of human nasopharyngeal epithelial cells with Epstein-Barr virus DNA. J. Otorhinolaryngol. Relat. Spec., 49, 81-86, 1987.

Takimoto, T., Sato, H., Ogura, H.

& Miyazaki, T.

Cell fusion by nasopharyngeal carcinoma-derived Epstein-Barr virus. Arch. Otolaryngol. Head Neck Surg., 113, 521-513, 1987.

Takimoto, T., Sato, H., Ogura, H.

& Miyazaki, T.

Establishment of an Epstein-Barr virus (EBV) genome-positive subline of Ramos with nasopharyngeal carcinoma (NPC)-derived EBV. Auris. Nasus. Larynx, 14, 87-92, 1987.

Takimoto, T., Sato, H., Ogura, H.,

Ogura, T. & Ishikawa, S.

Marmoset lymphoblastoid cells transformed by NPC-KT-derived Epstein-Barr virus which possesses transforming and superinfecting characteristics. J. Otorhinolaryngol. Relat. Spec. (in press), 1987.

Ogura, H., Sato, H. & Hatano, M.

Host-dependent temperature-sensitive growth of HVJ (Sendai virus) wild type in rat glioma C6 cells. Arch. Virol., 94, 123-133, 1987.

Ogura, H., Sato, H. & Hatano, M.

Inhibitory effect of papaverine on HVJ (Sendai virus) replication in rat glioma C6 cells. J. gen. Virol., 68, 1143-1159, 1987.

Ogura, H., Bacsko, K., Rima, B. K.

& V. ter Meulen

Selective inhibition of translation of the mRNA coding for the measles virus membrane protein at elevated temperatures. J. Virol., 61, 472-479, 1987.

Hoshiba, T., Asamoto, A., Yabuki, Y.,

Kimura, N. & Tanaka, J.

Studies on the management of pregnant women having high hemagglutination inhibition (HI) antibody titer of rubella virus in the first trimester.

I. Examination of rubella virus antibody in the pregnant women having high HI antibody titer by different methods and prognosis of their infants after birth. Acta Obst. Gynec., JPN, 39, 1993-1999, 1987 (in Japanese).

II. Antibody Response to live rubella vaccination and its clinical evaluation in comparison with natural rubella virus infection. Acta Obst. Gynec., JPN, 39, 2029-2035, 1987 (in Japanese).

Onishi, H.

Characteristics of rubella virus multiplication in a human nervous system cell line (118MGC) treated with various drugs. J. Juzen Med. Soc., 96, 945-959, 1987 (in Japanese).

Katsuda, S., Okada, Y., Nakanishi, I. & Tanaka, J.

Inhibitory effect of dimethyl sulfoxide on the proliferation of cultured arterial smooth muscle cells: Relationship to the cytoplasmic microtubules. Exp. Mol. Pathol., 48, 48-58, 1988.

Tatsumura, Koyama, S., Nishida, R.,

Sugiyama, S., Sato, H., Mori, A.,

Yamamoto, K., Kuno, S.

& Hatano, M.

SDS-polyacrylamide gel electrophoretic patterns of serum glycoproteins among various cancer patients. The 78th Annual Meeting of the American Association for Cancer Research (Atlanta, U.S.A.), No. 710, May, 1987.

Koyama, S., Tatsumura, T.,

Nishida, R., Ueyama, T.,

Yamamoto, K., Shimizu, M.

& Hatano, M.

Analytical study of the serum of normal and malignant patients with high-performance liquid chromatography. The 78th Annual Meeting of the American Association for Cancer Research (Atlanta, U.S.A.), No. 718, May, 1987.

Department of Molecular

Immunology

Ohno, S.

Chromosome translocations activating the c-myc oncogenes. Igaku-no-ayumi, 133, 1130-1138, 1985 (in Japanese).

Ohno, S.

Chromosome abnormalities of plasmacytomas in mice. Proceedings in the Oncogene Researches, Gendai-Kagaku, Supple., 2, 59-68, 1985 (in Japanese).

Miyashita, N., Moriwaki, K.,

Minezawa, M., Yonekawa, H.,

Bonhomme, F., Migita, S.,

Yu, Z., Lu, D., Cho, W. S.

& Thohani, M.

Allelic constitution of the hemoglobin beta chain in wild populations of the house mouse, *Mus musculus*. Biochemical Genetics, 23, 975-986, 1985.

Komatsu, M., Yamamoto, K.,

Kawashima, T. & Migita, S.

Genetic deficiency of the $\alpha-\gamma$ subunit of the eighth complement component in the rabbit. J. Immunol., 134, 2607-2609, 1985.

Migita, S. & Okumura, J.

Significance of increase in serum immunoglobulin levels. Kensa-to-Gijyutu, 13, 595-601, 1985 (in Japanese).

Wakasugi, S., Maeda, S., Shimada, K., Nakashima, H. & Migita, S.
Structural comparisons between mouse and human prealbumin. *J. Biochemistry*, **98**, 1707-1714, 1985.

Migita, S & Hirohashi, K.
Immunoabsorbed electrophoresis, a new method. *Physico-chemical Biology*, **29**, 144, 1985 (in Japanese).

Migita, S. & Tanaka, A.
Edited "Methods in Immunology" Pub. by Nishimura Pub. Co., Niigata, 1985. (in Japanese).

Yamamoto, K. & Migita, S.
Complete primary structures of two major murine serum amyloid A proteins deduced from cDNA sequences. *Proc. Natl. Acad. Sci. USA*, **82**, 2915-2919, 1985.

Ohno, S. & Harada, M.
Oncogene activation of plasmacytomas in mice. *Acta Haematol. JPN.*, **49**, 1721-1728, 1986.

Migita, S.
Acute phase protein (I). *Medical Immunology*, **11**, 477-481. 1986 (in Japanese).

Migita, S.
Acute phase protein (II). *Medical Immunology*, **11**, 627-634, 1986 (in Japanese).

Migita, S., Hashimoto, S., Hisazumi, H., Harada, M. & Okabe, H.
Human serum amyloid P-component (SAP) as an acute phase reactant in the female. In "Amyloidosis", ed. by GG, Glenner & EF, Osserman et al., p 87-97, Plenum Press NY, 1986.

Okumura, J., Yugami, H., Fujita, S., Mizukami, Y., Hashimoto, T., Matsubara, F., Nakamura, S. & Migita, S.

The presence of two monoclonal M components on the sera of patients with myeloma. *Rinshoobyo*, **34**, 1045-1048, 1986 (in Japanese).

Migita, S., Matsushima, K., Shiroo, M. & Yamamoto, K.
Different stimulators induce different patterns of acute phase reactants in the serum of mice: Interleukin 1 as a major mediator. In "Chemical Mediators of Inflammation and Immunity", ed. by S. Cohen & H. Hayashi et al., p 279-297, Academic Press NY, 1986.

Migita, S.
Acute phase protein. *Physico-Chemical Biology*, **30**, 387-394, 1986 (in Japanese)

Migita, S.
Amyloid and Nylon. *Soogou-Rinshou*, **35**, 3027-3039, 1986 (in Japanese).

Hashimoto, T., Migita, S. & Matsubara, F.
Response of thyrotropin, prolactin and three

thyroid hormones to graded exercise in normal male subjects. *Endocrinol. Japan.*, **33**, 735-741, 1986.

Migita, S., Matsumoto, Y., Ohno, S. & Shiroo, M.
Review on Immunoglobulin Quantitation. *Respiration*, **5**, 60-67, 1986 (in Japanese).

Kimura, I. & Migita, S.
Initiation and development of myeloma, introductory remarks. *Acta Haematol. JPN.*, **49**, 1719-1720, 1986 (in Japanese).

Yamamoto, K., Shiroo, M. & Migita, S.
Diverse gene expression for isotypes of murine serum amyloid A protein during acute phase reaction. *Science*, **232**, 227-229, 1986.

Yamamoto, K., Shiroo, M. & Migita, S.
Molecular cloning of genes encoding isotypes of murine serum amyloid A protein. *Prot. of the Biol. Fluid*, **34**, 379-382, Elsevier Pub Co. 1986.

Yamamoto, K.
Structure & expression of murine serum amyloid A protein genes: implications for amyloidosis. In "Amyloidosis" p 141-148, 1986.

Onizuka, K., Mihara, K., Mizuguchi, N. & Migita, S.
Studies of various serum protein fractions of patients with squamous cell carcinoma of the larynx undergoing radiotherapy. *Nippon Acta Radiologica*, **46**, 700-713, 1986 (in Japanese).

Miyashita, N.
Effect of major histocompatibility gene complex on the development of carcinogen-induced Pulmonary adenomas in mice. *J. Juzen Med. Soc.*, **95**, 95-103, 1986 (in Japanese).

Mizuno, Y., Ohno, S., Matsushita, F., Unoura, M., Kobayashi, K., Hattori, N. & Migita, S.
Chromosomal analysis of a woodchuck hepatoma cell line by quinacrine mustard-33258 Hoechst Method (QM method). Proceedings of the 46th Annual Meetings of the Japanese Cancer Association, p 195, 1987. (in Japanese).

Ohno, S., Murakami, S., Takahashi, R., Mihara, K., Harada, F., Migita, S. and Sugiyama, T.
Structure & activation of the *c-myc* oncogene in a translocation-negative murine plasmacytoma. Proceedings of the 46th Annual Meeting of the Japanese Cancer Association, p 121, 1987. (in Japanese).

Miyashita, N., Migita, S. & Moriwaki, K.
Effect of H-2 complex and non H-2 background on urethane-induced chromosomal aberrations in mice. *Mutation Res.*, **176**, 59-67, 1987.

Migita, S. & Hasebe, Y.

Comparative biochemical review on acute phase proteins. *Nippon-Rinshou*, 45, 1010-1022, 1987 (in Japanese).

Migita, S.

Phylogeny of acute phase protein. *Igaku-no-ayumi*, 140, 608, 1987 (in Japanese).

Hisada, K., Hashimoto, T.**& Migita, S.**

Clinical application of radioimmunoassay. in "Encyclopedia of Clinical Radiology", vol. 37, p 137-152, Nakayama pub. Co., Tokyo, 1987 (in Japanese).

Migita, S.

Structure and function of antibody. in Molecular and Genetic approaches to Immunodiagnosis and Immunotherapy", ed. by K. Kano p 23-30, 1987 Todai Pub. Co., Tokyo.

Migita, S.

Electrophoresis. in "Methods in Experimental Biology", p 123-153, 1987. ed. by S. Muramatsu et al., Series of Experimental Biology, vol.14, Maruzen Tokyo Pub. Co., (in Japanese).

Migita, S., Nakajima, H., Asai, T.**& Hamaguchi, K.**

Molecular model of prealbumin amyloid. editor by S. Araki "Amyloidosis", Internal Medicine Mook, Kanehara Pub. Co., Tokyo, p 216-229, 1987 (in Japanese).

Yamamoto, K., Goto, N.,**Kosaka, J., Mitomo, K., Shiroo, M.,****Migita, S., Nakayama, K.****& Natsuume-Sakai, S.**

Diverse gene structure for serum amyloid A protein in wild mice (Abst.). The fifth international amyloid symposium, 1987.

**Watanabe, H., Ohta, H., Satomura, Y.,
Sawabu, N., Hattori, N.****& Tokuyama, H.**

Development and clinical application of monoclonal antibody against human placental alkaline phosphatase (P-ALP) (Abst.). Proc. 46th Ann. Meet. of the Japan. Cancer Assoc., p 525, 1987 (in Japanese).

Yamamoto, K., Goto, N., Kosaka, J.,**Shiroo, M., Yeul, Y. D. & Migita, S.**

Structure diversity of murine serum amyloid A genes: evolutionary implications. *J. Immunol.*, 139, in press 1988.

Yamamoto, K., Shiroo, M., Migita, S.,**Nakayama, K. & Natsuume-Sakai, S.**

Molecular map of the serum amyloid A gene locus in mice. *Proc. Natl. Acad. Sci. USA*, in press 1988.

**Matsushita, F., Ohno, S., Unoura, M.,
Kobayashi, K., Tanaka, N.,****Fukuoka, K., Morioka, T., Kaneko, S.,****Aoyama, S., Migita, S. & Hattori, N.**

Analysis of the chromosomal abnormalities of a woodchuck hepatocellular carcinoma-derived cell line (WH257 GE 10). *Int. J. Cancer*, 40, 711-714, 1987.

Ohno, S., Takahashi, R., Mihara, K.,**Migita, S. & Sugiyama, T.**

An atypical t(12; 15) translocation of chromosomes found in murine plasmacytomas and activation of the c-myc oncogenes. *Int. J. Cancer*, in press.

Migita, S., Ohshima, S., Takegami, M.**& Honkawa, S.**

Screening of CRP concentration by microplate agarose immunoassay. *Physico-chemical Biology*, 31, 76, 1987 (in Japanese).

Migita, S.

Immunelectrophoresis, Radioimmuno-electrophoresis and Immunofixation. edited by T. Inoue, Experimental Methods for Electrophoresis 3rd edition, Bunkodo Pub. Co., Tokyo, in press

Migita, S.

Dysproteinemia and Immunodeficiency. Ed. by A. Shibata, "Essential of Hematology", 2nd edd., p205-252, Ishiyaku-Shuppan Pub. Co., Tokyo, 1987.

Migita, S.

Plasma Proteins. Ed. by Jap. Soc. Physiology, in "Encyclopedia of Physiology", vol.15, chapter 2, Igakushoin Pub. Co. Tokyo, in press

Hashimoto, S. & Migita, S.

Effects by sex steroids on rat serum amyloid P component. *Acta Haematol. JPN*, in press

**Shiroo, S., Kawahara, E., Nakanishi, I.,
& Migita, S.**

Specific deposition of serum amyloid A protein 2 in the mouse. *Scand. J. Immunol.*, 26, 709-716, 1987.

Onizuka, K., Mihara, K., Tukino, H.,**Mizoguchi, N. & Migita, S.**

Studies on serum protein fractions of patients with breast cancer undergoing radiotherapy. *Nippon Acta Radiologica*, 47, 1064-1075, 1987 (in Japanese).

Shiroo, M.

Specific deposition of serum amyloid A protein 2 in the mouse. *J. Juzen Med. Soc.*, 96, 210-219, 1987 (in Japanese).

Ohno, S., Migita, S., Takahashi, R.,**Mihara, K., Sugiyama, T.,****Harada, F. & Murakami, S.**

Novel T (12; 15) translocation of chromosomes found in murine plasmacytomas and activation of the c-myc oncogene (Abst.). VI International Congress of Hematology, Asian Pacific Division, Bombay, 1987.

Migita, S.

Acute phase proteins and inflammation. *Rinsho-Kensa*, 32, 160-166, 1988 (in Japanese).

Migita, S. & Yamamoto, K.

Deposition of serum amyloid A protein. *Rinsho-Kagaku*, 24, 202-212, 1988 (in Japanese).

Migita, S.

Amyloid and Nylon. *Medical Technology*, 15, 494-496, 1987 (in Japanese).

Migita, S., Nakashima, H. & Asai, T.

Conformation of abnormal prealbumin may cause amyloidogenic polymerization (Abst.). Vth International Symposium on Amyloidosis, in press 1987.

Department of Biophysics**Ohshima, T., Yoshikawa, H.,**

Murakami, S., Morioka, K.,

Matsushita, F., Fukuoka, K.,

Kobayashi, K. & Hattori, N.

Integration of woodchuck hepatitis virus DNA in serially transplanted tumor derived from a woodchuck hepatoma. *Kanzou*, 25, 998-1003, 1984. (in Japanese).

Kodama, K., Ogasawara, N.,

Yoshikawa, H. & Murakami, S.

Nucleotide sequence of a cloned woodchuck hepatitis virus (WHV) genome: Evolutional relationships between hepadnaviruses. *J. Virol.*, 56, 978-986, 1985.

Unoura, M., Kobayashi, K.,

Fukuoka, K., Matsushita, F.,

Morimoto, H., Ohshima, T.,

Kaneko, S., Hattori, N.,

Murakami, S. & Yoshikawa, H.

Establishment of a cell line from a woodchuck hepatocellular carcinoma. *Hepatology*, 5, 1106-1111, 1985.

Unoura, M., Kobayashi, K.,

Fukuoka, K., Ohshima, T.,

Matsushita, F., Kato, Y.,

Hattori, N., Murakami, S.

& Yoshikawa, H.

Properties of an established cell line (W257) derived from a primary hepatocellular carcinoma of woodchuck. *Kanzou*, 25, 1321-1327, 1985. (in Japanese).

Kaneko, S., Kobayashi, K.,

Hattori, N., Murakami, S.

& Yoshikawa, H.

On oncogenic viruses (mainly on HBV DNA), *Medicine & Pharmacol.*, 14, 643-652, 1985. (in Japa-

nese).

Kodama, K., Ogasawara, N.,

Yoshikawa, H. & Murakami, S.

Nucleotide sequence of a cloned woodchuck hepatitis virus (WHV) genome: Evolutional relationships between hepadnaviruses. Molecular biology of hepatitis B viruses (Abstract), p52, 1985.

Unoura, M., Kobayashi, K.,

Fukuoka, K., Matsushita, F.,

Morimoto, H., Ohshima, T.,

Kaneko, S., Morioka, K., Ohno, S.,

Hattori, N., Murakami, S.

& Yoshikawa, H.

Establishment of a cell line of tissue culture of a woodchuck hepatocellular carcinoma. Molecular biology of hepatitis B viruses (Abstract), p73, 1985.

Kaneko, S., Kodama, K.,

Ohshima, T., Unoura, M.,

Kobayashi, K., Hattori, N.,

Yoshikawa, H. & Murakami, S.

Stable integration of woodchuck hepatitis virus (WHV) DNA in established cells of tissue culture from a woodchuck primary hepatocellular carcinoma (HCC) and structure of the integrated viral DNA. Molecular biology of hepatitis B viruses (Abstract), p79, 1985.

Kato, N. & Harada, F.

New U1 RNA species found in Friend SFFV (spleen focus forming virus)-transformed mouse cells. *J. Biol. Chem.*, 260, 7775-7782, 1985.

Miura, K., Kakuchi, J., Tsuda, S.,

Harada, F. & Ueda, T.

Modification of adenine residues of mouse 5S ribosomal RNA with monoperphthalic acid: The secondary structure of 5S ribosomal RNA. *Chem. Pharm. Bull.*, 33, 2425-2431, 1985.

Harada, F. & Kato, N.

Molecular cloning of human endogenous retrovirus-like sequences using tRNA^{Pro} as a probe. *Nucleic Acids Res., Symp. Series*, 16, 277-278, 1985.

Kaneko, S., Kodama, K., Ohshima, T.,

Unoura, M., Kobayashi, K.,

Hattori, N., Yoshikawa, H.,

& Murakami, S.

Stable integration of woodchuck hepatitis virus WHV DNA in transplanted tumors and established tissue culture cells derived from a woodchuck primary hepatocellular carcinoma. *Cancer Res.*, 46, 3608-3613, 1986.

Kaneko, S., Ohshima, T., Kodama, K.,

Aoyama, S., Yoshikawa, H.,

Unoura, M., Fukuoka, K.,

Matsushita, F., Morioka, K.,

**Tanaka, N., Kobayashi, K.,
Hattori, N. & Murakami, S.**

Changes in modes of extrachromosomal and integrated woodchuck hepatitis virus (WHV) DNA during establishment of a cell line derived from a hepatocellular carcinoma of woodchuck. *Kanzou*, 27, 1085-1093, 1986. (in Japanese).

**Aoyama, S., Kaneko, S., Morioka, K.,
Unoura, M., Kodama, K., Tanaka, N.,
Kato, Y., Kobayashi, K., Hattori, N.,
Yoshikawa, H. & Murakami, S.**

Detection of HBV DNA in liver biopsy samples from HBsAg-negative patients of acute or chronic liver diseases. *Kanzou*, 27, 392, 1986. (in Japanese).

**Kaneko, S., Kodama, K., Kuroki, K.,
Kobayashi, K., Hattori, N., Harada, F.
& Murakami, S.**

Enhancer activity of an integration site of woodchuck hepatitis virus (WHV) DNA in a cell line of woodchuck hepatoma. Molecular biology of hepatitis B viruses (Abstract), p49, 1986.

**Aoyama, S., Kodama, K., Kaneko, S.,
Kuroki, K., Shimoda, A.,
Kobayashi, K., Hattori, N.
& Murakami, S.**

A new family of repetitive sequence found in the vicinity of an integration site of woodchuck hepatitis virus (WHV) DNA in a cell line of woodchuck hepatoma. Molecular biology of hepatitis B viruses (Abstract), p56, 1986.

**Kuroki, K., Kodama, K.,
Kobayashi, K., Hattori, N.
& Murakami, S.**

Transcriptional activation of a chromosome region where the enhancer of woodchuck hepatitis virus (WHV) DNA harbors in a cell line of woodchuck hepatoma. Molecular biology of hepatitis B viruses (Abstract), p104, 1986.

Harada, F., Takeuchi, Y. & Kato, N.
Molecular cloning and in vitro transcription of rat 4.5S RNA_H genes. *Nucleic Acids Res.*, 14, 1629-1642, 1986.

Takeuchi, Y. & Harada, F.
Cloning and characterization of rat 4.5S RNA genes. *Nucleic Acids Res.*, 14, 1643-1656, 1986.

S. Murakami.
Hepadnaviruses. *Gastroenterol.*, 6, 211-221, 1987. (in Japanese).

**Murakami, S., Kaneko, S., Kodama, K.
Harada, F. & Kuroki, K.**

Detection of nuclear factor binding to the enhancer region of WHV DNA. Molecular biology of hepatitis B viruses (Abstract), p45, 1987.

Shimoda, A., Kuroki, K.,

**Uchijima, M., Kaneko, S., Unoura, M.,
Kobayashi, K., Hattori, N.
& Murakami, S.**

Woodchuck hepatitis virus (WHV) DNA integration in multicentric primary hepatocellular carcinomas of woodchucks. Molecular biology of hepatitis B viruses (Abstract), p84, 1987.

**Shimoda, A., Kuroki, K.,
Kobayashi, K., Hattori, N.
& Murakami, S.**

Expression of PreC-C and C of human hepatitis B virus and woodchuck hepatitis virus in HeLa cells. Molecular biology of hepatitis B viruses (Abstract), p24, 1987.

Harada, F., Tsukada, N. & Kato, N.
Isolation of three kinds of human endogenous retrovirus-like sequences using tRNA^{Pro} as a probe. *Nucleic Acids Res.*, 15, 9153-9162, 1987.

Department of Immunobiology

**Nonaka, M., Nonaka, M., Irie, M.,
Tanabe, K., Kaidoh, T.,**

Natsuume-Sakai, S. & Takahashi, M.
Identification and characterization of a variant protein of the third component of complement in rainbow trout (*salmo gairdneri*). *J. Biol. Chem.*, 260, 809-815, 1985.

**Natsuume-Sakai, S., Hayakawa, J.,
J., Kaidoh, T., Sudo, K.
& Takahashi, M.**

Structural polymorphism of murine complement factor H controlled by a locus located between the Hc locus and the β2M locus of the second chromosome of the mouse. *J. Immunol.* 134, 2600-2606, 1985.

**Nonaka, M., Nakayama, K.,
Yu, D. Y., Shimizu, A.
& Takahashi, M.**

Molecular cloning and characterization of complementary and genomic DNA clones for mouse C4 and Slp. *Immunol. Rev.* 87, 81-99, 1985.

**Nonaka, M., Nakayama, K.,
Yu, D. Y. & Takahashi, M.**

Complete nucleotide and derived amino acid sequences of the fourth component of mouse complement. Evolutionary aspects. *J. Biol. Chem.* 260, 10936-10943, 1985.

**Kay, P.H., Natsuume-Sakai, S.,
Hayakawa, J. & Dawkins, R.L.**

Different allotypes of C3 degrade at different rates. *Immunogenetics* 23, 563-569, 1985.

**Nonaka, M., Nakayama, K.,
Yu, D. Y. & Takahashi, M.**

Complete nucleotide and derived amino acid sequences of sex-limited protein (Slp), the non-functional isotype of the fourth component of mouse complement. *J. Immunol.* 136, 2989-2993, 1986.

Murayama, T., Natsuume-Sakai, S., Shimokawa, K. & Furukawa, T.
Fc receptors induced by human cytomegalovirus bind differentially with human immunoglobulin G subclasses. *J. Gen. Virol.* 67, 1475-1478. 1986.

Geng, L., Iwabuchi, K., Natsuume-Sakai, S., Ogasawara, M., Fujita, M., Ogasawara, K., Kakinuma, M., Good, R.A., Morikawa, K. & Onoe, K.
Analysis of synthetic sites of fourth and fifth components of serum complement system in allogeneic bone marrow chimeras. *Immunology*, 58, 453-457, 1986.

Nonaka, M., Kimura, H., Yu, D.Y., Yokoyama, S., Nakayama, K., & Takahashi, M.
Identification of the 5'-flanking regulatory region responsible for the difference in transcriptional control between mouse complement C4 and Slp genes. *Proc. Natl. Acad. Sci. USA* 83, 7883-7887, 1986.

Nakayama, K., Nonaka, M., Yokoyama, S., Yu, D.Y., & Takahashi, M.
Recombination of two homologous MHC class III genes of the mouse (C4 and Slp) that accounts for the loss of testosterone dependence of sex-limited protein expression. *J. Immunol.* 138, 620-627, 1987.

Department of Pathophysiology

Miyoshi, S.
Antitumor immunity responses in gastric cancer patients assayed by leukocyte adherence inhibition techniques using a partially purified antigen extract. *J. Juzen Med. Soc.*, 94, 457-465, 1985 (in Japanese).

Shimizu, T.
Antigen highly associated with human liposarcoma. *J. Juzen Med. Soc.*, 94, 561-568, 1985 (in Japanese).

Seki, M.
Analysis of an antigen highly associated with human gastric adenocarcinoma by zenoantisera. *J. Juzen Med. Soc.*, 95, 19-27, 1986 (in Japanese).

Takeyama, K.
Purification and characterization of a tumor-specific surface antigen in murine ascites hepatoma AH-7974. *J. Juzen Med. Soc.*, 96, 71-79, 1987 (in Japanese).

Yamamoto, H.
Properties of a Wilms' tumor (Nephroblastoma)-specific antigen. *J. Juzen Med. Soc.*, 96, 104-112, 1987 (in Japanese).

Kurata, Y.
Purification, partial characterization, and clinical evaluation of antigen specific to or highly restricted for human tumor. *Sougou Rinshou*, Vol.34, No.12, 2621-2624, 1985 (in Japanese).

Satoh, N. & Kurata, Y.
Monoclonal antibodies to human thyroid cancer. *Proceedings of the 44th Annual Meeting of the Japanese Cancer Association*. p138 (No.443), 1985 (in Japanese).

Tokuyama, H., Tokuyama, Y. & Kurata, Y.
Monoclonal antibody against renal cell carcinoma cell. *Proceedings of the 44th Annual Meeting of the Japanese Cancer Association*. p137 (No.439), 1985 (in Japanese).

Satoh, N. & Kurata, Y.
Monoclonal antibodies against thyroid cancer. *Proceedings of the 45th Annual Meeting of the Japanese Cancer Association*. p98 (No.285), 1986 (in Japanese).

Shimizu, H., Tokuyama, H., Tokuyama, Y. & Kurata, Y.
Monoclonal antibodies against human renal cell carcinoma. *Proceedings of the 45th Annual Meeting of the Japanese Cancer Association*. p133 (No.422), 1986 (in Japanese).

Satoh, N. & Kurata, Y.
Isolation of DNA coding thyroid cancer specific antigen. *Proceedings of the 46th Annual Meeting of the Japanese Cancer Association*. p151 (No.595), 1987 (in Japanese).

Okada, S.
Human renal cell carcinoma-associated antigen gp-68^{rec} with epidermal growth factor-receptor (EGFR). *Proceedings of the 46th Annual Meeting of the Japanese Cancer Association*. p210 (No.826), 1987 (in Japanese).

Department of Pharmacology

Miki, N.
Programs for nucleic acid data on a microcomputer (PC8801). *Methods in Immunological Experiment*, 13, 4539-4554, 1984 (in Japanese).

Hayashi, J., Tagashira, Y., Higashida, H., Hirai, S., Yoshida, M. & Sekiguchi, T.
Isolation and characterization of intraspecific hybrids. Effect of mitochondrial DNA on their cellular properties. *Exp. Cell Res.* 154, 357-366, 1984.

Nirenberg, M., Wilson, S.,

Higashida, H., Rotter, A., Krueger, K., Busis, N., Ray, R., Kenimer, J.G. & Adler, M.

Modulation of synapse formation by cyclic adenosine monophosphate. Biotechnology and Biological Frontiers pp442-453, Am. Assoc. for the Adv. of Science, 1984.

Nirenberg, M., Wilson, S.,

Higashida, H., Rotter, A., Krueger, K., Busis, N., Ray, R., Kenimer, J.G.

& Adler, M

Modulation of synapse formation by cyclic adenosine monophosphate. Neurobiology pp118-129, Am. Assoc. for the Adv. of Science, 1984.

Higashida, H. & Tanaka, K.

Prostaglandin D₂ on solid and ascites neuroblastoma cells. Inflammation suppl. 1, 101-105, 1984 (in Japanese)

Higashida, H., Hayashi, Y.

Nakagawa, Y., Miki, N. & Furuya, S.
Synapse formation by cultured cells. Tanpakushitsu, Kakusan & Koso 29, 1907-1917, 1984. (in Japanese).

Higashida, H.

Expression of neuronal properties in neuroblastoma glioma hybrid cells. Tokyo J. Med. Sci. 91, 220-225, 1984 (in Japanese)

Yano, K., Higashida, H., Inoue, R.

& Nozawa, Y.

Bradykinin-induced rapid breakdown of phosphatidylinositol 4,5-bisphosphate in neuroblastoma X glioma hybrid NG108-15 Cell. J. Biol. Chem. 259, 10201-10207, 1984.

Hatakenaka, S., Kiyama, H.,

Tohyama, M. & Miki, N.

Immunohistochemical localization of chick retinal 24 Kd protein (visinin) in various vertebrate retinae. Brain Res., 331, 209-215, 1985.

Kiyama, H., Takami, K.,

Hatakenaka, S., Tohyama, M.

& Miki, N.

Localization of chick retinal 24Kd protein (visinin)-like immunoreactivity in the rat lower brain stem. Neurosci., 14, 549-556, 1985.

Takami, K., Kiyama, H.,

Hatakenaka, S., Tohyama, M.

& Miki, N.

Localization of chick retinal visinin-like immunoreactivity in rat forebrain and diencephalon. Neurosci., 15, 667-675, 1985.

Yoshida, S., Kiyama, H., Toyama, M.,

Hatakenaka, S. & Miki, N.

Ontogeny of visinin-like immunoreactive structures in the rat cerebellum and vestibular nucleus: An immunohistochemical analysis. Develop. Brain Res.,

22, 247-253, 1985.

Hayashi, Y. & Miki, N.

Purification and characterization of a neurite outgrowth factor (NOF) from chick gizzard smooth muscles. J. Biol. Chem., 260, 14269-14278, 1985.

Nakagawa, Y.

Cloning of pCR18 specific for bovine retina, J. Juzen Med. Soc., 94, 622-633, 1985 (in Japanese).

Kuo, C-H. & Miki, N.

Molecular biology for neuroscience. Jap. J. Neuropsychopharmac., 7, 569-576, 1985 (in Japanese).

Yano, K., Higashida, H.,

Hattori, H. & Nozawa, Y

Bradykinin-induced transient accumulation of inositol trisphosphate in neuron-like cell line NG108-15 cell. FEBS Lett., 181, 403-406, 1985.

Yano, K., Higashida, H. & Nozawa, Y.

Evidence for a Ca-independent hydrolysis of phosphatidylinositol 4,5-bisphosphate in neuron-like cell line NG108-15 cell. FEBS Lett., 183, 235-239, 1985.

Higashida, H., Kano-Tanaka, K.,

Tanaka, T., Fukami, H.

& Natsuume-Sakai, S.

Tumorigenicity, major histocompatibility antigens and karyotypes of interspecific hybrid cells between mouse neuroblastoma and rat glioma or liver cells. Cancer Genet. Cytogenet. 16, 219-227, 1985.

Higashida, H., Sano, M. & Kato, K.

Forskolin induction of S-100 protein in glioma and hybrid cells. J. Cell. Physiol. 122, 39-44, 1985.

Nirenberg, M., Krueger, K.,

Fukui, H., Rotter, A., Wilson, S.

& Higashida, H.

Modulation of synapse formation by cAMP. Advances in cyclic Nucleotide and Protein Phosphorylation Research Vol.17, p501, Raven Press, 1985.

Nirenberg, M., Krueger, K.,

Rotter, A., Wilson, S. & Higashida, H.

Regulation of synapse formation by cyclic AMP. Gene Expression and Cell-Cell Interactions in the Developing Nervous System. Adv. in Exp. Med. & Biol. Vol. 181. pp15-16, Plenum Press, 1985.

Nakano, T., Nagatsu, T.,

& Higashida, H.

Expression of A and B types of monoamine oxidase in differentiated neuroblastoma hybrid cells. J. Neurochem. 44, 757-758, 1985.

Furuya, S., Sawada, M., Nagatsu, T.,

Suzuki, O. & Higashida, H.

Localization of [³H] serotonin in neuroblastoma X glioma hybrid cells. Brain Res. 361, 77-90, 1985.

Yamazaki, A., Halliday, K.R.,

George, J.S., Nagao, S., Kuo, C-H.,

- Ailsworth, K.S. and Bitensky, M.W.**
Homology between light-activated photoreceptor phosphodiesterase and hormone-activated adenylate cyclase systems. Advances in Cyclic Nucleotid and Protein Phosphorylation Research, Vol. 19, p113, Raven Press, 1985.
- Nakagawa, Y., Kuo, C-H., Ishii, K., Shiosaka, S., Tohyama, M. & Miki, N.**
Cloning and characterization of a cDNA specific for bovine retina. Neurosci. Res., 3, 300-310, 1986.
- Negishi, K., Kiyama, H., Kato, S., Teranishi, T., Hatakenaka, S., Katayama, Y., Miki, N. & Tohyama, M.**
An immunohistochemical study on the river Lamprey retina. Brain Res., 362, 389-393, 1986.
- Kuo, C-H., Yamagata, K., Moyzis, R.K., Bitensky, M.W., & Miki, N.**
Multiple opsin mRNA species in bovine retina, Molec. Brain Res., 1, 257-260, 1986.
- Yamakuni, T., Kuwano, R., Odani, S., Miki, N., Yamaguchi, Y. & Takahashi, Y.**
Nucleotide sequence of cDNA to mRNA for a cerebellar Ca-binding, spot 35 protein. Nucleic Acid Res., 14, 67, 1986.
- Miki, N. & Kato, S.**
Phototransduction and cyclic nucleotides. Seikagaku Jikken Koza 7, 212-222, 1986 (in Japanese).
- Miki, N., Kuo, C-H., Nakagawa, Y., Bitensky, M.W., Ishii, K., Shiosaka, S. & Tohyama, M.**
Cloning and characterization of retina-specific cDNAs. In Molecular Genetics in Developmental Neurobiology (ed. Tsukada, Y.), Japan, Scientific Societies Press, 167-176, 1986.
- Kuo, C-H. & Miki, N.**
ID sequence in the brain, Igakunoayumi, 137, 586, 1986 (in Japanese).
- Miki, N.**
Membrane transduction via cyclic GMP, Taisha, 23, 279-281, 1986 (in Japanese).
- Nakano, T., Saito, S., Higashida, H., Kojima, K. & Nagatsu, T.**
Assignment of A and B types monoamine oxidase in NCB20 hybrid cells to those the parental cells by peptide mapping. J. Neurochem. 46, 686-694, 1986.
- Higashida, H., Streaty, R.A., Klee, W.S. & Nirenberg, M.**
Bradykinin-activated transmembrane signals are coupled via No or Ni to inositol-1,4,5-trisphosphate, a second messenger in NG108-15 neuroblastoma glioma hybrid cells. Proc. Nat. Acad. Sci. U.S.A. 83, 942-948, 1986.
- Higashida, H. & Brown, D.A.**
Two polyphosphatidylinositide metabolites control two K⁺ currents in a neuronal cell. Nature, 323, 333-335, 1986.
- Higashida, H. & Brown, D.A.**
Membrane current responses to intracellular injection of inositol 1,3,4,5-tetrakisphosphate and inositol 1,3,4-tris-phosphate in NG108-15 hybrid cells. FEBS Lett., 208, 283-286, 1986.
- Higashida, H.**
Neuronal Cell Culture In Neurobiology Ser. Exp. Biol. 9, 317-342, Maruzen Pub. Co. 1986 (in Japanese).
- Hayashi, Y., Taniura, H. & Miki, N.**
Interaction of monoclonal antibodies with a neurite outgrowth factor from chicken gizzard extract. Develop. Brain Res., 35, 11-19, 1987.
- Pasteels, B., Miki, N., Hatakenaka, S. & Pochet, R.**
Immunohistochemical cross reactivity and electrophoretic comigration between calbindin D-27 and visinin. Brain Res., 412, 107-113, 1987.
- Negishi, K., Teranishi, T., Kuo C-H. Kuo. & Miki, N.**
Two types of Lamprey retina photoreceptors immunoreactive to rod-and cone specific antibodies. Vision Res., 27, 1237-1241, 1987.
- Hayashi, Y., Taniura, H. & Miki, N.**
A proteolytic fragment (140 kDa) of a neurite outgrowth factor and its cell binding activity. Neurosci. Lett., 79, 321-325, 1987.
- Yamakuni, T., Kuwano, R., Odani, S., Miki, N., Yamaguchi, K. & Takahashi, Y.**
Molecular cloning of cDNA from mRNA for a cerebellar spot 35 protein. J. Neurochem., 48, 1590-1596, 1987.
- Miki, N.**
Application of molecular genetics to the retina. Tokyo Ophthalm. Soc., 118, 1-5, 1987 (in Japanese).
- Kuo, C-H. & Miki, N.**
Retina specific proteins and molecular cloning of them. Iden, 41, 25-30, 1987 (in Japanese).
- Higashida, H. & Brown, D.A.**
Bradykinin inhibits potassium (M) currents in N1E-115 neuroblastoma cells. FEBS Lett., 220, 302-306, 1987.
- Brown, D.A., Furuya, K. & Higashida, H.**
K channels in NG108-5 rodent neuroblastoma X glioma cells evoked by intracellular injections of inositol-1, 4,5-trisphosphate (IP₃). J. Physiol. 390, 217, 1987.

- Higashida, H.**
Molecular regulation of ion channels in neuroblastoma cells. *Saibokogaku Suppl.* 3, 6-10, 1987 (in Japanese).
- Yamagata, K., Kuo, C-H. & Miki, N.**
Characterization and partial purification of a neurotrophic factor for cerebrocortical neurons from chicken cerebral extract. *Neurochem. Internat.* (in press).
- Taniura, H., Hayashi, Y. & Miki, N.**
An 82kDa membrane protein that inhibits the activity of neurite outgrowth factor (NOF). *J. Neuropochem.* 50, (in press).
- Kuo, C-H., Tamotsu, S., Morita, Y., Shinozawa, T., Akiyama, M. & Miki, N.**
Presence of retina-specific proteins in the lamprey pineal complex, *Brain Res.*, 442, 147-151 (1987).
- Miki, N., Yamagata, K. & Taniura, H.**
Synaptic formation and gene expression. *Taisha*, 24, 971-977, 1987 (in Japanese).
- Brown, D.A. & Higashida, H.**
A note on voltage-and Ca-activated K-currents in mouse neuroblastoma X rat glioma hybrid cells. *J. Physiol.* (in press).
- Brown, D.A. & Higashida, H.**
Membrane current responses of NG108-15 mouse neuroblastoma X rat glioma hybrid cells to bradykinin. *J. Physiol.* (in press).
- Brown, D.A. & Higashida, H.**
Inositol 1,4,5-trisphosphate and diacylglycerol mimic bradykinin-effects on mouse neuroblastoma X rat glioma hybrid cells. *J. Physiol.* (in press).
- Higashida, H.**
Acetylcholine release induced by bradykinin, inositol 1,4,5-trisphosphate and phorbolbutyrate in mouse neuroblastoma X rat glioma hybrid cells. *J. Physiol.* (in press).
- Tanigaki, N., Manno, K., Sugihara, K., Miki, N., Ichida, S. & Yoshida, H.**
Specific inhibitory action of the novel antidepressant paroxetine on 5-HT uptake. *Folia Pharmacol. Jap.*, 89, 175-180, 1987 (in Japanese)
- Miki, N. & Kuo, C-H.**
Molecular biology of retina specific proteins. *Jikken Igaku*, 6, 37-42, 1988 (in Japanese).
- Tanaka, M., Hayashi, T., & Shimizu, Y.**
Antitumor activity of aqueous extracts of marine animals. *J. Pharmacol-Dyn.*, 8, 969-974, 1985.
- Uehara, N., Baba, H., Nitta, K., Kunimoto, T., Takeuchi, M., Sasaki, T., & Tanaka, T.**
The therapeutic effect of orally administered 5'-deoxy-5-fluorouridine (5'-DFUR), 1-(2-tetrahydrofuranyl)-5-fluorouracil (FT-207) and 5-fluorouracil (5-FU) on experimental murine tumors. *Jpn. J. Cancer Res. (Gann)*, 76, 1034-1041, 1985.
- Maeda, M., Kaneko, C., Uchida, N.A. & Sasaki, T.**
Synthesis of 1- β -D-ribofuranosyl-1,2-dihydropyrimidine-2-one derivatives and their biological activities. *Nucleic Acids Res., Symp. Series 16*, 77-80, 1985.
- Murayama, M., Koshimura, S., & Natsume, S.S.**
Production of potent immunoglobulins by group A streptococcus for antibody-dependent cell-mediated cytotoxicity in mice, *Jpn. J. Exp. Med.*, 55, 225-232, 1985.
- Arisawa, M., Fujita, A., Suzuki, R., Hayashi, T., Morita, N., Kawano, N., & Koshimura, S.**
Studies on cytotoxic constituents in pericarps of *Mallotus japonicus* (Euphorbiaceae), Part I. *J. Nat. Prod.*, 48, 455-459, 1985.
- Nishii, M., Inagaki, J., Nohara, H., Isono, K., Kusakabe, H., Kobayashi, K., Sakurai, T., Koshimura, S., Sethi, S.K., & McCloskey, J.A.**
A new anticancer antibiotic, guanine 7-N-oxide produced by *Streptomyces* sp. *J. Antibiotics*, 38, 1440-1443, 1985.
- Maeda, M., Uchida, N.A., & Sasaki, T.**
Liposoluble platinum (II) complexes with antitumor activity. *Jpn. J. Cancer Res. (Gann)*, 77, 523-525, 1986.
- Kobayashi, J., Ishibayashi, M., Nakamura, H., Ohizumi, Y., Yamasu, T., Sasaki, T., & Hirata, Y.**
Amphidinolide-A, a novel antineoplastic macrolide from the marine dinoflagellate *Amphidinium* sp. *Tetrahedron Letters*, 27, 5755-5758, 1986.
- Okuno, Y., Tonosaki, K., Inoue, T., Yonemitsu, O., & Sasaki, T.**
Efficient preparation of anticancer platinum pyridine blues. On the highly reproducible reaction conditions and purification by gel filtration. *Chemistry Letters*, pp1947-1950, 1986.

Department of Experimental Therapeutics

Sasaki, T., Uchida, N.A., Takasuka, N., Kamiya, H., Endo, Y.,

Saito, H., Tabeta, R., Sasaki, T., & Yoshioka, Y.

A high-resolution solid-state ¹³C NMR study of (1→3)- β -D-glucans from various sources. Conformational characterization as viewed from the conformation-dependent ¹³C chemical shifts and its consequence to gelation property. Bull. Chem. Soc. Jpn., 59, 2093-2101, 1986.

Ehrke, M.J., MacCubbin, D., Ryoyama, K., Cohen, S.A., & Mihich, E.

Correlation between adriamycin-induced augmentation of interleukin 2 production and of cell mediated cytotoxicity in mice. Cancer Res., 46, 54-60, 1986.

Ryoyama, K., Ryoyama, C., & Mihich, E.

Inhibition of suppresser cell generation by mouse serum in culture. Int. J. Immunopharmac., 8, 23-32, 1986.

Arisawa, M., Fujita, A., Saga, M., Hayashi, M., Morita, N., Kawano, N., & Koshimura, S.

Studies of cytotoxic constituents in pericarps of *Mallotus japonicus* (Euphorbiaceae), Part II. J. Nat. Prod., 49, 298-302, 1986.

Arisawa, M., Nimura, M., Fujita, A., Hayashi, T., Morita, N., & Koshimura, S.

Biological active macrocyclic diterpenoids from Chinese drug Fang Feng Cao, II. Derivatives of ovatotiolides and their cytotoxicity. Planta Medica, pp247-342, 1986.

Yokoyama, K., Watanabe, N., Kawabata, S., Mukai, K., Koizumi, K., Aburano, T., Tonami, N., Hisada, K., Washina, H., & Koshimura, S.

Radioiodinated peanut agglutinin (PNA): A potential new tumor seeking agent. Kakuigaku, 23, 17-24, 1986 (in Japanese).

Kawabata, S., Yokoyama, K., Watanabe, N., Mukai, K., Yamada, N., Koizumi, K., Aburano, T., Tonami, N., Hisada, K., Washina, H., & Koshimura, S.

Radioiodinated peanut agglutinin (PNA): *In vitro* binding to various tumor cells. Kakuigaku, 23, 1613-1617, 1986 (in Japanese).

Kamei, T., Seto, H., Taki, K., Kakishita, M., Maeda, M., Honda, T., & Koshimura, S.

Radioimmunodetection and immunotherapy of cancer by monoclonal antibody. Clin. Immunol., 18, 877-885, 1986.

Koshimura, S., Murayama, T., & Natsume, S.S.

Factors controlling host-mediated anticancer effects of OK-432. In "Mechanisms of Antitumor Effects of OK-432" (Ishida, N. ed) pp221-226, Excerpta Medica, 1986.

Natsume, S.S., Murayama, T., & Koshimura, S.

Production of tumor-specific and -nonspecific immunoglobulins in mice treated with OK-432. In "Mechanisms of Antitumor Effects of OK-432" (Ishida, N.ed) pp119-125, Excerpta Medica, 1986.

Sasaki, T.

Prediction of the malignancy of tumors and chemosensitivity test using chick embryo. Farumashia, 23, 58-62, 1987 (in Japanese).

Sasaki, T., Nishikawa, K., Tanaka, M., Uchida, H., & Endo, Y.

Development and establishment of predicting tumor-malignancy and chemosensitivity using chicken chorioallantoic membrane. Advances in Cancer Treatment, 5, 35-42, 1987 (in Japanese).

Sasaki, T., Uchida, H., Uchida, N.A., Takasuka, N., Tachibana, Y., Nakamichi, K., Endo, Y., & Kamiya, H.

Antitumor activity and immunomodulatory effect of glycoprotein fraction from scallop *Patinopecten yessoensis*. Bull. Jpn. Soc. Sci. Fish., 53, 267-272, 1987.

Kamiya, H., Endo, Y., Muramoto, K., Uchida, H., Sasaki, T., Uchida, N.A., & Raj, U.

Antitumor activity of the macromolecular fraction from a Fijian tunicate *Didemnum varians*. Bull. Jpn. Soc. Sci. Fish., 53, 493-496, 1987.

Sasaki, T. & Endo, Y.

Antineoplastic substances from marine animals. In "Bioactive marine natural products" (Yasumoto, T. & Kamiya, H. ed.) vol6S, Koseishiya-Koseikaku, Tokyo, pp21-31, 1987 (in Japanese).

Ishibashi, M., Ohizumi, Y., Sasaki, T., Nakamura, H., Hirata, Y., & Kobayashi, J.

Pseudodistomins A and B, novel antineoplastic piperidine alkaloids with calmodulin antagonistic activity from the Okinawan tunicate *Pseudodistoma kanoko*. J. Org. Chem., 52, 450-453, 1987.

Sasaki, T.

Huamn tumor drug sensitivity testing with chicken chorioallantoic membrane. Medicina Philosophica, 6, 311-312, 1987 (in Japanese).

Sasaki, T.

Application of chick embryo to chemosensitivity test. Exp. Medicine, 5, 562-564, 1987 (in Japanese).

Uchida, H., Sasaki, T., Tanaka, M., Endo, Y., Nitta, K., Nishikawa, K., Chuman, H., Fukuma, H., & Matsumoto, K.

Response to antitumor agent of murine transplantable tumors implanted onto chorioallantoic membrane of chick embryo. Jpn. J. Cancer Res. (Gann), 78, 729-736, 1987.

Uchida, H., Sasaki, T., Uchida, N.A., Takasuka, N., Endo, Y., & Kamiya, H.
Oncostatic and immunomodulatory effects of a glycoprotein fraction from water soluble extract of abalone, *Haliotis discus hannai*. Cancer Immunol. Immunother., 24, 207-212, 1987.

Ishibashi, M., Ohizumi, Y., Hamashima, M., Nakamura, H., Hirata, Y., Sasaki, T., & Kobayashi, J.
Amphidinolide-B, a novel macrolide with potent antineoplastic activity from the marine dinoflagellate *Amphidinium* sp. J. Chem. Soc., Chem. Commun., 1127-1129, 1987.

Ujiie, T.
Effect of an antiutmor chelator, 2-(2-hydroxy-5-n-hexyl-phenyl)-8-quinonolinol-4-carboxylic acid (HQ-II) on DNA synthesis, clonogenicity, and cell cycle progression of HeLa cells. Jpn. J. Exp. Med., 57, 19-30, 1987.

Ujiie, T.
OK-432-mediated augmentation of antitumor immunity and generation of cytotoxic T lymphocytes. Jpn. J. Exp. Med., 57, 103-115, 1987.

Ujiie, T.
Chemoimmunotherapy of L1210 leukemia with adriamycin, cyclophosphamide, and OK-432, and their effects on the generation of antitumor immunity. Jpn. J. Cancer Res. (Gann), 78, 737-747, 1987.

Ujiie, T.
Augmentation by OK-432 of generation of culture-induced killer cells. Jpn. J. Exp. Med., 57, 153-161, 1987.

Ujiie, T.
Enhanced generation of OK-432-induced killer cells by interleukin 2. Jpn. J. Exp. Med., 57, 183-188, 1987.

Matsuda, S., Takenuki, K., Itoh, H., Sasaki, T., & Ueda, T.
Radical deoxygenation of *tert*-alcohols in 2'-branched-chain sugar pyrimidine nucleosides: Synthesis and antileukemic activity of 2'-deoxy-2' (S)-methylycystidine. Chem. Pharm. Bull., 35, 3967-3970, 1987.

Kobayashi, J., Cheng, J., Ishibashi, M., Nakamura, H., Ohizumi, Y., Hirata, Y., Sasaki, T., Lu, H., & Clardy, J.

Prianosin A, a novel antileukemic alkaloid from the Okinawan marine sponge *Prianos melanos*. Tetrahedron Letters, 42, 4939-4942, 1987.

Nishikawa, K., Sasaki, T., Tanaka, M., Uchida, H., Endo, Y., Fukuma, H., Chuman, H., Beppu, Y., Matsumoto, K., & Nitta, K.

Experimental model for predicting metastatic ability of tumors using chick embryo. Jpn. J. Clinical Oncology, 17, 319-325, 1987.

Chihara, G., Hamuro, J., Maeda, Y.Y., Shioi, T., Suga, T., Takasuka, N., & Sasaki, T.

Antitumor and metastasis-inhibitory activities of lentinan as an immunomodulator: An overview. Cancer Detection and Prevention Supplement 1; 423-443, 1987.

Ujiie, T.

Generation of activated killer-like cells by OK-432-mediated production of interleukin 1, interleukin 2, and interferon- γ *in vitro*. Jpn. J. Exp. Med., 57, 333-338, 1987.

Ryooyama, K. & Ryooyama, C.

Appearance of a helper activity by mouse serum in cultured lymphoid cells. Jpn. J. Exp. Med., 57, 281-289, 1987.

Department of Internal Medicine

Sawabu, N., Wakabayashi, T., Ozaki, K., Toya, D., Yoneshima, M., Kidani, H., Hattori, N. & Ishii, M.
Serum tumor markers in patients with hepatocellular carcinoma: Diagnosis of α -fetoprotein -low or -negative patients. Gastroenterol Jpn., 20: 109-215, 1985.

Okai, T., Takemori, Y., Sawabu, N., Kidani, H., Yoneshima, M., Toya, D., Yoneshima, M., Hattori, N., & Yamazaki, H.

A case of chronic pancreatitis which developed pancreatic cancer after 3-year sequential follow-up examinations by pancreatogram, pure pancreatic juice and serum CA 19-9. The biliary tract and pancreas, 6, 383-388, 1985. (in Japanese).

Sawabu, N., Ohta, H., Toya, D., Ozaki, K. & Hattori, N.
Isozyme; γ -GTP. Medical Immunology. 9, 517-523, 1985 (in Japanese).

Takemori, Y., Akazawa, S., Kanda, Y., Ishii, M., Sawabu, N., Yonezima, M., Toya, D., & Hattori, N.

Enzyme immunoassay for lactoferrin. IGAKU NO AYUMI, 133, 53-55, 1985 (in Japanese).

**Minami, S., Takahashi, Y.,
Kitagawa, I., Mai, M., Takemori, Y.
& Sawabu, N.**

Immunohistochemical evaluation of CA 19-9 in the
gastric cancer. *IGAKU NO AYUMI*, 132, 658-659,
1985 (in Japanese).

Sawabu, N.

B_{12} binding protein. In: *Tumor Marker* ed., Hattori,
N., pp 191-194, *Tyuugai Igakusha*, Tokyo, 1985
(in Japanese).

Sawabu, N.

Electrophoresis method using polyacrylamide gel.
In: *Tumor Marker Handbook*, ed. Ishii, M., 97-104,
Science Forerum Comp, Tokyo, 1985 (in Japanese).

Sawabu, N.

Alkaline phosphatase. In: *Tumor marker* ed., Ha-
ttoni, N., p.157-164, *Tyuugai Igakusha*, Tokyo, 1985
(in Japanese).

Sawabu, N., Takemori, Y.,

Satomura, Y., & Hattori, N.

Diagnostic availability of serum CA 19-9. *Dig Med.*,
2, 334-340, 1985 (in Japanese).

**Toya, D., Sawabu, N., Takemori, Y.,
Yonezima, M., Kidani, H., Hattori, N.,
Nagakawa, T., Mai, M., Fukui, M.,
& Metzgar, R.S.**

Availability of serum DU-PAN-2 assay. *IGAKU NO
AYUMI*, 135, 253-256, 1985 (in Japanese).

**Takemori, Y., Sawabu, N., Toya, D.,
Yonezima, M., Kidani, H., Hattori, H.,
Nagakawa, T. & Mai, M.**

Clinical studies on factors affecting serum levels of
CA 19-9 with special reference of benign diseases.
The biliary tract & pancreas, 6, 983-988, 1985 (in
Japanese).

Sawabu, N., Satomura, Y.

& Takemori, Y.

DU-PAN-2 antigen. *Kan Tan Sui*. 11, 37-44, 1985
(in Japanese).

**Sawabu, N., Satomura, Y., Ohta, H.,
Takemori, Y., Toya, D.**

& Hattori, N.

Tumor markers for pancreatic cancer except CA
19-9. The biliary tract & pancreas. 6, 1087-1106,
1985 (in Japanese).

Sawabu, N., Ohta, H., Toya, D.,

Ozaki, K. & Hattori, N.

γ -GTP isoenzyme. *Kan Tan Sui*. 11, 471-478, 1985
(in Japanese).

Sawabu, N., Ohta, H., Morioka, K.,

Okai, T., Hashimoto, T.

& Matsubara, F.

γ -GTP. *Clin all-round*, 34, 1859-1863, 1985 (in
Japanese).

Sawabu, N., Ohta, H., Okai, T.

& Hattori, N.

Hepatocellular carcinoma (AFP, novel γ -GTP, vari-
ant ALP, des γ -carboxy prothrombin). *Med & Phar-*
macol, 14, 579-586, 1985 (in Japanese).

Yoneshima, M., Sawabu, N.,

Kidani, H., Takemori, Y., Toya, D.,

Okai, T., Hattori, H., Ogino, T.

& Mai, M.

Usefullness of serum CEA assay by monoclonal
antibody. *Jap J Cancer Clin*, 31, 1311-1317, 1985
(in Japanese).

Hattori, N. & Sawabu, M.

Evaluation of tumor markers in various malignan-
cies. Hepatocellular carcinoma. In: *Tumor markers,*
biochemical and immunology of application. ed.,
Urushizaki, I. & Hattori, N., p.196-199, *Igakushoin*,
Tokyo, 1985 (in Japanese).

Sawabu, N., Okai, T.,

Wakabayashi, T., Ozaki, K., Toya, D.,

& Hattori, N.

Diagnosis of small hepatocellular carcinoma using
tumor markers. *Diagnostic Imaging of the Abdo-*
men. 5, 544-548, 1985 (in Japanese).

Wakabayashi, T., Sawabu, N.,

Ozaki, K., Yoneshima, M., Toya, D.,

Takemori, Y., Yoneshima, Ma.,

Kidani, H., Kitagawa, H.,

Takahashi, Y., Makino, H.,

Hattori, N., Sugioka, G.

& Hirose, S.

Clinical significance of common bile duct stenosis
in chronic pancreatitis. *Gastroenterol Endoscopy*,
28, 97-103, 1986 (in Japanese).

Sawabu, N., Watanabe, H. & Ohta, H.

AFP, Novel γ -GTP and hepatocellular carcinoma.

J. Therap, 68, 70-76, 1986.

Takemori, Y., Sawabu, N., Kidani, H.,

Yonezima, M., Toya, D.,

Yonezima, M., Wakabayashi, T.

& Hattori, N.

Studies on CA 19-9 levels in pure pancreatic juice.
The biliary tract and pancreas, 7, 63-68, 1986 (in
Japanese).

Okai, T. & Sawabu, N.

Therapy of gastrointestinal disorder caused by anti-
cancer drugs. *Klinika*, 13, 102-105, 1986 (in Japa-
nese).

Sawabu, N., Satomura, Y., Ohta, H.

& Takemori, Y.

Present and future of markers of pancreas diseases:
CA 19-9 and CA 125. *Kan Tan Sui*, 12, 419-428,
1986 (in Japanese).

Satomura, Y., Ohta, H., Takemori, Y., Sawabu, N., Minami, S., Kitamura, T., Mai, M., Hattori, N., Akiyama, T. & Watanabe, K.

Immunohistochemical evaluation of DU-PAN-2 in various digestive cancers. *IGAKU NO AYUMI*, 137, 143-44, 1986 (in Japanese).

Sawabu, N., Takemori, Y.

& Satomura, Y.

Tumor marker of the pancreatic cancer. *Clin Gastroenterol*, 11, 659-669, 1986 (in Japanese).

Hashimoto, T., Mizukami, Y..

Kawagisi, N., Terabatake, S..

Matsubara, F., Watanabe, Y..

& Sawabu, N.

Usefulness of measurement for serum calcitonin as a tumor marker in thyroid, lung and liver cancer. *J Clin Endocrinol*, 34, 135-143, 1986 (in Japanese).

Hattori, N. & Sawabu, N.

The history for tumor marker: the present condition and the view. *J. Adult Diseases*, 16, 787-790, 1986 (in Japanese).

Sawabu, N.

Detection and clinical value of tumor marker -iso-enzyme-. *J. Adult Diseases*, 16, 801-805, 1986 (in Japanese).

Sawabu, N.

New tumor marker of digestive cancer. *Jap. Med. J.*, 3245, 12-17, 1986 (in Japanese).

Sawabu, N., Takemori, Y..

Satomura, Y., Ohta, H., Watanabe, H..

& Hattori, N.

Application of monoclonal antibody to serum diagnosis: carbohydrate antigen. *J. Clin Science*, 22, 788-796, 1986 (in Japanese).

Sawabu, N., Toya, D. & Takemori, Y.

Measurement of a pancreatic cancer-associated antigen (DU-PAN-2) detected by a monoclonal antibody in sera of patients with digestive cancers. *Int. J. Cancer*, 37, 693-696, 1986.

Ohta, H., Odani, H., Watanabe, H., Satomura, Y., Takemori, Y., Okai, T., Sawabu, N., Mai, M., Hattori, N. & Hashimoto, N.

CA 19-9 enzyme immunoassay. *Jap J. Cancer Clin*, 32, 993-997, 1986 (in Japanese).

Sawabu, N., Satomura, Y. & Takemori, Y.

DU-PAN-2 (an antigen of human pancreatic adenocarcinoma cells). *Jap J. Clin Med*, 44, 1830-1833, 1986 (in Japanese).

Sawabu, N., Takemori, Y., Ueno, M., Mai, M. & Hattori, N.

Metastasis and tumor marker. *Saishin-Igaku*, 41, 2269-2274, 1986 (in Japanese).

Sawabu, N., Takemori, Y. & Satomura, Y.

DU-PAN-2 -Clinical availability of determination of serum antigen by enzyme immunoassay -Kan Tan Sui, 13, 721-725, 1986 (in Japanese).

Okai, T., Ohta, H., Satomura, Y.,

Sawabu, N., Kitamura, T.,

Yoneshima, M., & Yonemura, Y.

Endoscopic ultrasonographic determination of the depth of cancerous invasion in the depressed type of early gastric cancer with special reference to differentiation between case with and without ulceration. *Gastroenterol Endoscopy*, 28, 3064-3072, 1986 (in Japanese).

Sawabu, N., Takemori, Y., Toya, D.,

Yoneshima, M., Kidani, H.,

Satomura, Y., Ohta, H.

& Hattori, N.

Factors affecting serum levels of CA 19-9 with special reference to benign hepatobiliary and pancreatic diseases. *Gastroenterol Jpn*, 21, 491-498, 1986.

Takemori, Y., Sawabu, N.,

Satomura, Y., Ohta, H., Watanabe, H.,

Okai, T., Mai, M., Hattori, N.,

Akiyama, T. & Hashimoto, T.

Determination of serum DU-PAN-2 by enzyme immunoassay in patients with various digestive cancers. *Jpn J Cancer Chemother*, 14, 119-126, 1987 (in Japanese).

Takemori, Y., Odani, H.,

Watanabe, H., Ohta, H., Satomura, Y.,

Okai, T., Sawabu, N., Mai, M.,

Hattori, N. & Hashimoto, T.

Evaluation of CA 15-3 radioimmunoassay. *Jpn J Cancer Chemother*, 14, 114-118, 1987 (in Japanese).

Takemori, Y. & Sawabu, N.

Diagnosis of pancreatic tumor using tumor markers. *Clinical Drug Intelligence*, 28, 43-48, 1987 (in Japanese).

Okai, T., Satomura, Y., Ohta, H.,

Takemori, Y., Watanabe, H.,

Sawabu, N., Nishide, K., Ohshima, A.,

Iwata, K., & Yoshida, S.

Serum prolylhydroxylase levels in patients with various liver disease. *Acta Hepatol Jap*, 120, 262-263, 1987 (in Japanese).

Sawabu, N., Satomura, Y.,

& Takemori, Y.

Clinical evaluation of serum DU-PAN-2. *Dig. Med*, 6, 162-169, 1987 (in Japanese).

- Sawabu, N.**
Hepatic malignant tumor and tumor marker. "Research of the Liver", ed, Oda, T, p.995-1005, Doushoin press, Tokyo, 1987 (in Japanese).
- Ohkura, H., Abe, O., Ishii, M., Okazaki, N., Sithoh, Y., Kurihara, M., Kawai, T., Takeuchi, T., Miyazaki, I., Kawai, K., Mizumoto, R., Kamano, T., Niitani, H., Hattori, N., Ban, Y., Machida, T., & Sawabu, N.**
Clinical study of the NCC-ST-439 EIA kit using serum from patients with various types of cancer and benign diseases (1), Jpn J Cancer Chemother., 14: 1901-1906, 1987 (in Japanese).
- Watanabe, H., Odani, H., Satomura, Y., Ohta, H., Takemori, Y., Okai, T., Sawabu, N., Ogino, T., Mai, M., Hattori, N., Akiyama, T. & Nagakawa, T.**
Clinical evaluation of serum CA 50 in various digestive cancers. IGAKU NO AYUMI, 141, 861-862, 1987 (in Japanese).
- Okai, T., Nakamura, Y., Watanabe, H., Ohta, H., Satomura, Y., Takemori, Y., Sawabu, N., Wakabayashi, T., Sugioka, G. & Kumagai, M.**
Endoscopic ultrasonographic diagnosis of adenomyomatosis of the gallbladder: with special reference to the comparison with chronic cholecystitis. Gastroenterol Endoscopy, 29, 1173-1180, 1987 (in Japanese).
- Ohta, H.**
Experimental study on properties of gamma-glutamyltranspeptidase from pancreatic cancer. J. Juzen Med Soc, 96, 537-548, 1987 (in Japanese).
- Sawabu, N. & Ohta, H.**
Novel γ -glutamyltranspeptidase. Int Med, 60, 672-674, 1987 (in Japanese).
- Okai, T. & Sawabu, N.**
Drug therapy for digestive cancers, Medical practice, 4, 1660-1665, 1987 (in Japanese).
- Sawabu, N.**
Application and limitation of biochemical diagnosis of tumor among liver, biliary tract, and pancreas. Jpn J Adult Diseases., 17, 1353-1355, 1987 (in Japanese).
- Sawabu, N., Ohta, H., Okai, T., Ohmizo, R., Hattori, H. & Wakabayashi, T.**
Current topics of hepatocellular carcinoma. Tumor Marker, Current Therapy, 5, 1329-1333, 1987 (in Japanese).
- Sawabu, N., Okai, T., Takemori, Y., Satomura, Y., Ohta, H. & Watanabe, H.**
New tumor marker. Mebio, 7, 113-122, 1987.
- Okai, T., Kato, Y., Murakami, T., Unoura, M., Tanaka, N., Sawabu, N., Kobayashi, K., Hattori, N., Kadoya, M., Izumi, R., Matsubara, F., Nakamura, Y. & Ohta, G.**
A case of undifferentiated carcinoma of the liver. Acta Hepatol Jap, 28, 1521-1526, 1987 (in Japanese).
- Takemori, Y., Sawabu, N., Satomura, Y., Ohta, H., Watanabe, H., Okai, T., Takahashi, Y., Mai, M., Hattori, N., Akiyama, T., Nagakawa, T. & Hashimoto, T.**
Clinical evaluation of serum levels of CA 125 in patients with digestive diseases. Jpn J Gastroenterol, 84, 2386-2392, 1987 (in Japanese).
- Sawabu, N. & Hattori, N.**
Serological tumor markers in hepatocellular carcinoma. In: Neoplasms of the liver, eds., Okuda K & Ishak Kg, Springer-Verlag, Tokyo, 1987, p.227-238.
- Sawabu, N., Takemori, Y., Satomura, Y., Watanabe, H. & Kawakami, H.**
Tumor markers in pancreatic biliary cancers, Kan Tan Sui 15, 347-357 (in Japanese).
- Satomura, Y., Okai, T., Ohta, T., Nakamura, Y., Takemori, Y., Morioka, T., Sawabu, N. & Tsuda, I.**
A case which showed transient giant gastric rugae with peripheral eosinophilia. Gastroenterol, Endoscopy, 29, 2471-2476, 1987 (in Japanese).
- Okai, T., Kawakami, H., Watanabe, H., Satomura, Y., Ohta, H., Ohmizo, R., Takemori, Y., Sawabu, N., Takahashi, Y. & Mai, M.**
The analysis of growth pattern by endoscopic ultrasonography in the patients with depressed type of gastric cancer, Jpn J Gastroenterol 84, 2658-2662 1987, (in Japanese).

Department of Surgery

- Mai, M.**
Clinical pathology of malignant tumor of stomach. p1-114, Cancer Res. Inst., Kanazawa Univ., 1985 (in Japanese).
- Takahashi, Y., Mai, M., Akimoto, R.,**

& Kusama, S.

Growth rate of liver metastases from stomach and colonic cancer by tumor marker and its clinical significance. *Jpn. J. Gastroenter. Surg.*, 18, 927-931, 1985 (in Japanese).

Takahashi, Y., Mai, M., Ogino, T.,**Ueda, H., Kitamura, T.,****Sawaguchi, K., Ueno, M.,****& Minami, S.**

Metastasis patterns of gastric cancer from infiltrating modes in primary lesion, especially on the correlation of peritoneal dissemination and hepatic metastasis. *Jpn. J. Cancer Clin.*, 31, 1792-1796, 1986 (in Japanese).

Takahashi, Y.

Characterization of human AFP producing stomach cancer xenotransplanted in nude mice and effect of a conjugate of MMC and antibody to human AFP on this tumor. *Jap. J. Gastroenterol.*, 82, 18-27, 1985 (in Japanese).

Sawaguchi, K.

Newly established human tumor cell line: NCC-nu derived from renal cancer-comparative examination of chemo- and thermosensitivity of the cells *in vitro*. *J. Juzen Med. Soc.*, 94, 21-38, 1985 (in Japanese).

Kusama, S., & Takahashi, Y.

Chronology of recurrent cancer. *Gastroenterol. Surg.*, 8, 1189-1194, 1985 (in Japanese).

Minami, S., Takahashi, Y.,**Kitagawa, K., Mai, M., Takemori, Y.,****& Sawabu, N.**

Immunohistochemical evaluation of CA19-9 in the gastric cancer. *Jpn. J. Clin. Exp. Med. (IGAKU NO AYUMI)*, 132, 658-659, 1985 (in Japanese).

Mai, M., & Watanabe, K.

Multiple mucosal bridge formation in the stomach - Report of a case. *Endoscopy*, 17, 40-41, 1985.

Mai, M.

Clinical and experimental work concerning therapeutic improvement of gastric cancer. House Staff Meeting at Memorial Sloan-Kettering Cancer Center, Dec. 1985.

Takahashi, Y., Mai, M., Ogino, T.,**Ueda, H., Ueno, M., & Kusama, S.**

Chronology of recurrent gastric cancer. *J. Jpn. Surg. Soc.*, 87, 604-607, 1986 (in Japanese).

Takahashi, Y., Mai, M., & Kusama, S.

Doubling time of liver metastases calculated by tumor markers and its clinical significance. 14th Meeting of International Cancer Congress, Hungary, Aug. 1986.

Mai, M.

Multidisciplinary therapy for cancer patients. *Clinica*, 13, 11-15, 1986 (in Japanese).

Takahashi, Y., Mai, M., & Kusama, S.

The tumor growth in patient with cancer as factor influencing the prognosis. *Oncologia*, 16, 141-143, 1986 (in Japanese).

Mai, M., & Takeuchi, I.

Superficial flat carcinoma, IIb type detected by using dye endoscopy, report of a case. *I to Cho (Stomach and Intestine)*, 21, 423-426, 1986 (in Japanese).

Mai, M.

Gastric cancer. In Today's therapy, ed., Hinohara, S., p346-347, 1986, Igaku Shoin, Tokyo, 1986 (in Japanese).

Mai, M.

Radiographic diagnosis of gastroenterological disease. New Encyclopedia of Surgical Science, p178-203, 1986, Nakayama Shoten, Tokyo (in Japanese).

Mai, M., Ueno, M., Takahashi, Y.,**Sawaguchi, K., Ueda, H., & Ogino, T.**

A multidisciplinary treatment of Borrmann 4 type gastric carcinoma: the effectiveness of immunotherapy. *J. Clin. Surg.*, 41, 195-200, 1986 (in Japanese).

Takahashi, Y., Minami, S., Mai, M.,**Ogino, T., Ueda, H., Kitamura, T.,****Sawaguchi, K., Ueno, M., Ohta, T.,****Asai, T., & Suga, T.**

A case of AFP-producing gastric cancer with detection of AFP-positive cancer cells in malignant pleural effusion: the study of immunohistochemical cytology. *Gastroenterol. Surg.*, 9, 645-648, 1986 (in Japanese).

Takahashi, Y., Ueno, M., Mai, M.,**& Kusama, S.**

The correlation with nuclear DNA content and growth rate in colonic cancer. *Jpn. J. Gastroenterol.*, 85, 1061, 1986 (in Japanese).

Ueda, H., Mai, M., Asai, T., Ohta, T.,**Suga, T., Ueno, M., Sawaguchi, K.,****Takahashi, Y., Kitamura, T.,****Ogino, T., Takashima, T.,****& Murasawa, K.**

A clinicopathological study on gastric cancer detected by mass screening. *Jpn. J. Digest. Mass Survey*, 71, 52-56, 1986 (in Japanese).

Takahashi, Y., Ueno, M., Mai, M.,**& Kusama, S.**

The correlation between growth rate of tumor xenotransplanted in nude mice and host tumor. *Jpn. J. Clin. Exp. Med. (IGAKU NO AYUMI)*, 137, 1107-1108, 1986 (in Japanese).

Takahashi, Y., Kusama, S., Mai, M.,**Ueno, M., Ogino, T., Ueda, H.,****& Sawaguchi, K.**

A study of CEA doubling time of liver metastases from colonic cancer and postoperative survival time. *J. Jpn. Surg. Soc.*, 87, 1422-1425, 1986 (in Japanese).

Japanese).

Takahashi, Y., Ueno, M., Mai, M., Ogino, T., Ueda, H., Kitamura, T., Sawaguchi, K., Ohta, T., Asai, T., Suga, T., & Tsukada, Y.

Combination of missile-induced hypertension -intraaortic infusion chemotherapy for patient with hepatocellular carcinoma. Jpn. J. Cancer Chemother., 13, 2663-2666, 1986 (in Japanese).

Takahashi, Y., Ueno, M., Mai, M., Ogino, T., Ueda, H., Kitamura, T., Sawaguchi, K., Asai, T., Ohta, T., & Suga, T.

Effect of human fibroblast interferon (beta-IFN) and Futraful on pancreatic cancer, report of a case. Biliary tract & Intestine, 7, 1185-1188, 1986 (in Japanese).

Takahashi, Y., Minami, S., & Mai, M.
The comparative study of biological behavior between primary lesion and metastatic lymph node of gastric cancer. Jpn. J. Cancer Chemother., 13, 2233-2234, 1986 (in Japanese).

Takahashi, Y., Ueno, M., Mai, M., Ogino, T., Ueda, H., Kitamura, T., Sawaguchi, K., Asai, T., Ohta, T., Suga, T., & Akimoto, R.

Effect of combination therapy with IFN-beta and MMC on human gastric cancer xenotransplanted in nude mice. Jpn. J. Gastroenterol. Surg., 19, 2027-2029, 1986 (in Japanese).

Takahashi, Y., Ueno, M., & Mai, M.
Comparative study of biological behavior between primary tumor and metastasis of stomach and colonic cancer in xenotransplanted in nude mice. Jpn. J. Gastroenterol. Surg., 19, 2161, 1986 (in Japanese).

Takahashi, Y., Mai, M., Ueda, H., Ueno, M., Ogino, T., Sawaguchi, K., Suga, T., Ohta, T., & Asai, T.

Chronological study on carcinoma arising from fundic gland area of stomach. Jpn. J. Cancer Clin., 22, 1819-1824, 1986 (in Japanese).

Takahashi, Y., Mai, M., Ogino, T., Ueda, H., Kitamura, T., Sawaguchi, K., Ueno, M., Asai, T., Suga, T., & Ohta, T.

A case of alpha-fetoprotein, carcinoembryonic antigen and carbohydrate antigen 19-9 producing gastric cancer -Immunohistochemical study-. Jpn. J. Gastroenterol. Surg., 19, 2421-2423, 1986 (in Japanese).

Kitamura, T., Mai, M., Ueda, H., Ohta, T., Suga, T., Asai, T., Ueno, M., Sawaguchi, K., Takahashi, Y., Ogino, T., Takeuchi, I.,

& Nakanishi, I.

A clinicopathological study on minute stomach cancer. Jpn. J. Cancer Clin., 32, 965-970, 1986 (in Japanese).

Sawaguchi, K., Mai, M., Ogino, T., Ueda, H., Kitamura, T.,

Takahashi, Y., Ueno, M., & Asai, T.
Mesenteric paniculitis of the mesosigmoid diagnosed by preoperative work up; report of a case. Gastroenterol. Surg., 9, 1831-1835, 1986 (in Japanese).

Takahashi, Y., Ueno, M., Mai, M., & Kusama, S.

Comparative study of growth rate between primary and metastatic lesions in xenotransplanted tumor in nude mice. Jpn. J. Gastroenterol., 128, 1986 (in Japanese).

Takahashi, Y., Mai, M., Ogino, T., Ueda, H., Kitamura, T., Ueno, M.,

Suga, T., Ohta, T., & Asai, T.

A case of retroperitoneal paraganglioma mimicking gastric submucosal tumor. Jpn. J. Gastroenterol. Endosc., 28, 3153-3159, 1986 (in Japanese).

Itoh, T.

Herpes esophagitis-an immunohistochemical study on 30 cases. J. Kanazawa Med. Univ., 11, 69-83, 1986 (in Japanese).

Takahashi, Y., Mai, M., Umemoto, N., Kato, Y., Hara, T., & Tsukada, Y.

Conjugates of Mitomycin with anti-alpha-fetoprotein antibody: Antitumor effect against alpha-fetoprotein-producing human gastric carcinoma implanted in nude mice. NCI Monographs, p.101-105, 1987, Nov.3.

Mai, M., Takahashi, Y., & Ueno, M.

New concept on multidisciplinary treatment for gastric cancer, based on its biological behavior. Oncologia, 20, 51-61, 1987 (in Japanese).

Takahashi, Y., Mai, M., Ogino, T., Ueda, H., Sawaguchi, K., & Ueno, M.

Correlation between chemosensitivity and growth rate in liver metastases. Jpn. J. Clin. Exp. Med. (IGAKU NO AYUMI), 142, 347-348, 1987 (in Japanese).

Takahashi, Y., Mai, M., Ogino, T., Ueda, H., Sawaguchi, K., & Ueno, M.

Clinicopathological study of AFP-producing gastric cancer-significance of AFP in gastric cancer. J. Jpn. Surg. Soc., 88, 696-697, 1987 (in Japanese).

Mai, M.

Liver metastasis of colonic cancer. Cursus Chirurg. Digest., p.37-41, 1987 (in Japanese).

Ueno, M., Takahashi, Y., & Mai, M.

Comparative study of chemosensitivity between primary and metastatic tumor. Jpn. J. Clin. Exp.

Med. (IGAKU NO AYUMI), 142, 201-202, 1987
(in Japanese).

Takahashi, Y., Ohta, T., & Mai, M.

Comparative study with reduction rate of tumor and decrease rate of tumor marker as an effect of MMC on human cancer. J. Jpn. Surg. Soc., 88, 502, 1987 (in Japanese).

Ueno, M., Takahashi, Y., & Mai, M.

Comparative study of chemosensitivity between primary and metastatic tumor of stomach and colon. Jpn. J. Clin. Exp. Med. (IGAKU NO AYUMI), 142, 201, 1987.

Takahashi, Y., Ueno, M., Kikuchi, R., & Mai, M.

Effect of combination of UFT and MMC (UFT-M therapy) on human colonic cancer xenoplanted in nude mice. Jpn. J. Cancer Chemother., 14, 1345-1347, 1987 (in Japanese).

Ogino, T., Mai, M., Ueda, H., Kitamura, T., Takahashi, Y., Sawaguchi, K., Ooi, A., Ueno, M., Suga, T., Asai, T., Ohta, T., Itoh, T., Fujimoto, T., Nakanishi, I., & Senda, K.

A case of primary adenocarcinoma of the esophagus accompanied with serum CEA elevation. Gastroenterol. Surg., 10, 867-871, 1987 (in Japanese).

Ueno, M.

Immunological study on the tumoricidal activity of peripheral blood lymphocytes in patients with gastric cancer. J. Juzen Med. Soc., 96, 220-230, 1987 (in Japanese).

Mai, M., Ueno, M., Sakai, M., & Koshimura, S.

The evaluation of the immune response induced by OK432 for gastric cancer. Proceedings of 15th International Congress of Chemotherapy, p.220, 1987, Istanbul.

Ooi, A., Kameya, T., Tsumuraya, M., Yamaguchi, K., Abe, K.

Shimosato, T., & Yanaihara, N.

Pancreatic endocrine tumors associated with WD-HA syndrome. An immunohistochemical and electron microscopic study. Virchows Arch. A., 405, 311-323, 1985.

Ooi, A., Kawahara, E., Okada, Y., Mizukami, Y., Sugawara, S., Noto, H., & Fujita, H.

Carcinosarcoma of the esophagus. An immunohistochemical and electron microscopic study. Acta Pathol. Jpn., 36, 151-159, 1986.

Ooi, A., Nakanishi, I., Kameya, T., Funaki, Y., & Kobayashi, K.

Carcitonin-producing insulinoma. An immunohistochemical and electron microscopic study. Acta Pathol. Jpn., 36, 1897-1903, 1986.

Ooi, A., Katsuda, S., Nakanishi, I., Nakamura, N., Matsushita, F.

Tanaka, N., & Kobayashi, K.

Hepatocellular carcinoma with chondrosarcomatous variation. A case report and review of the literature. Acta Pathol. Jpn., 37, 1165-1173, 1987.

Ooi, A., Nakanishi, I., & Hashiba, A.

Gastric plasmacytoma-an early lesion diagnosed with the aid of immunoperoxidase and immunogold techniques. Am. J. Gastroenterol., 82, 572-578, 1987.

Ooi, A., Nakanishi, I., Ohta, T.,

Takahashi, Y., & Mai, M.

Primary breast carcinoma with extensive endocrine differentiation. An immunohistochemical and immunoelectron microscopic study. Surg. Pathol., accepted for publication.

Ooi, A., Mai, M., Ueda, H., Ogino, T., Takahashi, Y., Nakanishi, I., & Kawahara, E.

An immunohistochemical study of endocrine differentiation of gastric adenocarcinoma. Abstract of the 3rd International Congress on Hormones and Cancer. J. Steroid Biochem., 28 suppl: 24s, 1987.

Minamoto, T., Okada, Y.,

Nakanishi, I., & Sawasaki, K.

So-called gastric carcinosarcoma-A case of chondrosarcomatous dysdifferentiation in the metastatic foci. Jap. J. Cancer Clin., 30, 1321-1326, 1984 (in Japanese).

Nagai, Y., Sunada, H., Sano, J.,

Onodera, S., Arai, K., Konomi, H.,

Minamoto, T., Hata, R., Hori, H.,

Nakanishi, I., Kitaoka, H., & Sakamoto, G.

Biochemical and immunohistochemical studies on the scirrhous carcinoma of human stomach. Ann. N.Y. Acad. Sci., 460, 321-332, 1985.

Nagai, Y., Arai, K., Minamoto, T.,

Sasaki, T., Senoo, H., & Sakamoto, G.

Abnormal distributions of type IV collagen in tumor tissues. In: Basement membranes, ed., Shibusawa, S., pp462, Elsevier Science Publishers, Amsterdam, New York, Oxford, 1985.

Minamoto, T.

Distribution of collagen types (I, III, IV and V) and laminin in the stroma of breast carcinomas. J. Juzen Med. Soc., 95, 975-990, 1986 (in Japanese).

Minamoto, T., Arai, K., Hirakawa, S., & Nagai, Y.

Immunohistochemical studies on collagen types in the uterine cervix in pregnant and nonpregnant states. Am. J. Obstet. Gynecol., 156, 138-144, 1987.

Minamoto, T., Ooi, A., Okada, Y.,

Mai, M., Nagai, Y., & Nakanishi, I.
Desmoplastic reaction of gastric carcinoma. A light
and electron microscopic immunohistochemical
analysis by using collagen type-specific antibodies.
Hum. Pathol., accepted for publication.