

Study on mechanism of malignant transformation of epithelial cells by EB virus LMP1

メタデータ	言語: jpn 出版者: 公開日: 2017-10-05 キーワード (Ja): キーワード (En): 作成者: Sato, Hiroshi メールアドレス: 所属:
URL	https://doi.org/10.24517/00034809

This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 International License.



EB ウィルス LMP1 による上皮細胞癌化・ 悪性化機構の解析

研究課題番号：12670278

平成12年度～平成13年度 科学研究費補助金

(基盤研究(C)(2)) 研究成果報告書

平成14年3月

研究代表者： 佐藤 博
(金沢大学がん研究所・教授)

は　し　が　き

研 究 組 織

研究代表者： 佐藤 博 (金沢大学がん研究所・教授)

研究分担者： 吉崎 智一 (金沢大学医学部附属病院・講師)

交 付 決 定 額 (配分額)

(金額単位：千円)

	直接経費	間接経費	合計
平成12年度	1,800	0	1,800
平成13年度	1,500	0	1,500
合計	3,300	0	3,300

研 究 発 表

(1) 学 会 誌 等

1. T. Yoshizaki, H. Miwa, H. Takeshita, H. Sato and M. Furukawa. Elevation of antibody against Epstein-Barr virus genes BRLF1 and BZLF1 in nasopharyngeal carcinoma. J. Cancer Res. Clin. Oncol., 126, 69-73, 2000.
2. H. Miyamori, T. Takino, M. Seiki and H. Sato. Human membrane type-2 matrix metalloproteinase is defective in cell-associated activation of progelatinase A. Biochem. Biophys. Res. Comm. 267, 796-800, 2000.
3. K-R. Kim, T. Yoshizaki, H. Miyamori, K. Hasegawa, T. Horikawa, M. Furukawa, S. Harada, M. Seiki and H. Sato. Transformation of Madin-Darby canine kidney (MDCK) epithelial cells by Epstein-Barr virus latent membrane protein 1 (LMP1) induces expression of Ets1 and invasive growth. Oncogene 30, 1764-1771, 2000.
4. K. Nakanishi, T. Kawai, H. Sato, S. Aida, H. Kasamatsu, T. Aurues and T. Ikeda. Expression of matrix metalloproteinase-2 (MMP-2) and of Membrane-type-1-matrix metalloproteinase (MT1-MMP) in transitional cell carcinoma of the upper urinary tract. Human Pathology, 31, 193-200, 2000.
5. H. Yamanaka, K.Makino, M.Takizawa, H,Nakamura, N,Fujimoto, H,Moriya, R,Nemori, H,Sato, M,Seiki, Y,Okada Expression and tissue localization of membrane-types 1, 2, and 3 matrix metalloproteinases in rheumatoid synovium. Lab Invest. 80,677-687, 2000.

6. S.Murono, T.Yoshizaki, H.Sato, H.Takeshita, M.Furukawa, J.S.Pagano. Aspirin inhibits tumor cell invasiveness induced by Epstein-Barr virus latent membrane protein 1 through suppression of matrix metalloproteinase-9 expression. *Cancer Res.* 60, 2555-2561, 2000.
7. Y. Imanishi, M. Fujii, Y. Tokumaru, T. Tomita, M. Kanke, J. Kanazaki, K. Kanayama, Y. Otani and H. Sato. Clinical significance of expression of membrane type 1 matrix metalloproteinase and matrix metalloproteinase-2 in human head and neck squamous cell carcinoma. *Human Pathology*, 31, 895-904, 2000.
8. H. Miyamori, K. Hasegawa, K-R. Kim and H. Sato. Expression of metastasis-associated mts1 gene is co-induced with membrane type-1 matrix metalloproteinase (MT1-MMP) during oncogenic transformation and tubular formation of Madin Darby canine kidney (MDCK) epithelial cells. *Clinical and Experimental Metastasis*, 18, 51-56, 2000.
9. T. Shimada, H. Nakamura, N. Fujimoto, H. Sato, M. Seiki and Y. Okada. Enhanced production and activation of progelatinase A mediated by membrane-type 1 matrix metalloproteinase in human oral squamous cell carcinoma: Implications for lymph node metastasis. *Clinical & Experimental Metastasis*, 18, 179-188, 2000.
10. Y. Misumi, M. Sohda, A. Tashiro, H. Sato and Y. Ikehara. An essential cytoplasmic domain for the Golgi localization of Coiled-coil proteins with a COOH-terminal membrane anchor. *J. Biol. Chem.* 276, 6867-6873, 2001.
11. H-Y. Ha, H-B. Moon, M-S. Nam, J-W. Lee, Z-Y. Ryoo, T-H. Lee, K-W. Lee, B-J. So, H. Sato, M. Seiki and A-Y. Yu. Overexpression of Membrane-type Matrix Metalloproteinase-1 gene induces mammary gland abnormalities and adenocarcinoma in transgenic mice. *Cancer Res.*, 61, 984-990, 2001.
12. H. Miyamori, T. Takino, Y. Kobayashi, H. Tokai, Y. Itoh, M. Seiki, and H. Sato: Claudin Promotes Activation of Pro-MMP-2 Mediated by Membrane-Type Matrix Metalloproteinases. *J. Biol. Chem.*, 276, 28204-28211, 2001.
13. T. Yoshizaki, Y. Maruyama, H. Sato and M. Furukawa: Expression of tissue inhibitor of matrix metalloproteinase-2 correlates with activation of matrix metalloproteinase-2 and predicts poor prognosis in tongue squamous cell carcinoma. *Int. J. Cancer*, 20, 44-50, 2001.
14. T. Horikawa, T-S. Sheen, H. Takeshita, H. Sato, M. Furukawa and T. Yoshizaki: Induction of c-Met proteo-oncogene by Epstein-Barr virus latent membrane protein-1 and the correlation with cervical lymph node metastasis of nasopharyngeal carcinoma. *Am. J. Pathol.*, 159, 27-33, 2001.
15. M. Nakada, D. Kita, K. Futami, J. Yamashita, N. Fujimoto, H. Sato, and Y. Okada: Roles of membrane type 1 matrix metalloproteinase and tissue inhibitor of metalloproteinases 2 in invasion and dissemination of human malignant glioma. *J Neurosurg.*, 94, 464-73, 2001.
16. Y. Itoh, A. Takamura, N. Ito, Y. Maru, H. Sato, N. Suenaga, T. Aoki and M. Seiki: Dimer formation of MT1-MMP is essential for proMMP-2 activation and promoting tumor cell invasion. *EMBO J.*, 20, 4782-4793, 2001.

17. D. Kita, T. Takino, M. Nakada, T. Takahashi, J. Yamashita and H. Sato: Expression of dominant negative form of Ets-1 suppresses fibronectin-stimulated cell adhesion and migration through down-regulation of integrin α 5 expression in U251 glioma cell line. *Cancer Res.*, 61, 7985-7991, 2001.
18. M. Nakada, A. Yamada, T. Takino, H. Miyamori, T. Takahashi, J. Yamashita and H. Sato: Suppression of MT1-MMP-mediated MMP-2 activation and tumor invasion by testican 3 and its splicing variant gene product N-Tes. *Cancer Res.*, 61, 8896-8902, 2001.
19. H-J. Cha, A. Okada, K-W. Kim, H. Sato and M. Seiki: Identification of cis-acting promoter elements that support expression of membrane-type 1 matrix metalloproteinase (MT1-MMP) in v-src transformed Madin-Darby canine kidney cells. *Clinical and Experimental Metastasis*, 18, 675-681, 2001.
20. T. Yoshizaki, T. Horikawa, R. Qing-chun, N. Wakisaka, H. Takeshita, T-S. Sheen, S-Y. Lee, H. Sato and M. Furukawa: Induction of interleukin-8 by Epstein-Barr virus latent membrane protein-1 and its correlation to angiogenesis in nasopharyngeal carcinoma. *Clinical Cancer Res.*, 7, 1946-1951, 2001.
21. N. Mori, H. Sato, T. Hayashibara, M. Senba, T. Hayashi, Y. Yamada, S. Kamihira, S. Ikeda, Y. Yamasaki, S. Morikawa, M. Tomonaga, R. Geleziunas, N. Yamamoto. Human T-cell leukemia virus type I Tax transactivates the matrix metalloproteinase-9 gene: potential role in mediating adult T-cell leukemia invasiveness. *Blood*. 99, 1341-1349, 2002.

(2) 口頭発表

第58回日本癌学会総会（平成12年）

1) 佐藤 博、吉崎 智一、古川 仞

『EBウイルス LMP-1 による上皮細胞トランスフォーメイションにともなう Ets-1 発現と浸潤性増殖の誘導』

2) 第58回日本癌学会総会（平成12年）

吉崎 智一、佐藤 博、古川 仞

『Epstein-Barr virus BZLF1 による MMP9 の誘導』

(3) 出 版 物

- 1) 佐藤 博 「タンパク質分解・分子機構と細胞機能」 「マトリックスメタロプロテアーゼ(MMP)と TIMP」 (シュプリンガー・フェアラーク東京)
71－79頁 (2000年6月)
- 2) 「発癌と悪性化の分子機構」 耳鼻咽喉科免疫アレルギー
18巻3号 1－5頁 (2000年)
- 3) 「マトリックスメタロプロテアーゼを標的とした診断・治療法の開発」
Advances in Cancer Treatment (がん治療のあゆみ) 20巻
41－49頁 (2001年)