

2001年度角間および医王の里の開花フェノロジー

服部陽子*・木下栄一郎**

Yoko HATTORI* and Eiichiro KINOSHITA** : Flowering Phenology at Kakuma and Iohnosato in 2001

ABSTRACT : We recorded the flowering phenology of the two sites, Kakuma and Iohnosato, in 2001. Kakuma is in the east side of kanazawa, about 50-160 meters above sea level, and Iohnosato is on the middle of Mt. Ioh, about 450-520 meters above sea level.

Table 1. Flowering phenology at Kakuma. Asterisks indicate flowering periods.

Date	3/16	3/23	3/31	4/5	4/13	4/21	4/27	5/6	5/11	5/18	5/25	6/1	6/8	6/15	6/22	6/29	7/6	7/13	7/20	7/27	8/3	8/10	8/17	8/24	8/31	9/7	9/14	9/21	9/28	10/5	10/12	10/19	10/26	11/2	11/9	11/16	11/23			
<i>Coptis japonica</i>	*	*																																						
<i>Anemone pseudo-altaica</i>	*	*	*	*																																				
<i>Heleniopsis orientalis</i>		*	*	*	*																																			
<i>Carex conica</i>		*	*																																					
<i>Carex podogyna</i>			*	*																																				
<i>Carex stenostachys</i>			*	*																																				
<i>Eurya japonica</i>			*	*																																				
<i>Prunus incisa</i> var. <i>kinkiensis</i>			*	*																																				
<i>Petasites japonicus</i>			*	*	*																																			
<i>Stachyurus praecox</i>			*	*	*																																			
<i>Cardamine flexuosa</i>			*	*	*	*	*	*	*																															
<i>Viola gryoceras</i>			*	*	*	*	*	*	*																															
<i>Carex foliosissima</i>				*	*																																			
<i>Chrysosplenium grayanum</i>				*	*																																			
<i>Chrysosplenium japonicum</i>				*	*																																			
<i>Viola vaginata</i>				*	*																																			
<i>Lindera umbellata</i> ssp. <i>membraacea</i>				*	*	*																																		
<i>Viola kusanoana</i>				*	*	*	*	*																																
<i>Acer crataegifolium</i>					*																																			
<i>Aucuba japonica</i> var. <i>borealis</i>					*																																			
<i>Carpinus tschonoskii</i>					*																																			
<i>Corylus sieboldiana</i>					*																																			
<i>Prunus jamasakura</i>					*																																			
<i>Corydalis lineariloba</i>					*	*																																		
<i>Cymbidium georingii</i>					*	*																																		
<i>Elatostema umbellatum</i> var. <i>majus</i>					*	*																																		
<i>Epimedium sempervirens</i>					*	*																																		
<i>Magnolia praecocissima</i>					*	*																																		
<i>Sambucus racemosa</i> ssp. <i>sieboldiana</i>					*	*																																		
<i>Rubus palmatus</i> var. <i>coptophyllus</i>					*	*	*																																	
<i>Akebia trifoliata</i>					*	*	*	*	*																															
<i>Chamaele decumbens</i>					*	*	*	*	*																															
<i>Glechoma hederacea</i> var. <i>grandis</i>					*	*	*	*	*																															
<i>Acer japonicum</i>						*																																		
<i>Zelkova serrata</i>						*																																		
<i>Acer palmatum</i> var. <i>matsumurae</i>						*	*																																	

* Department of Biology, Faculty of Education, Kanazawa University, Kanazawa 920-1192, Japan

** Botanic Garden, Faculty of Science, Kanazawa University, Kanazawa 920-1192, Japan

