

Proceedings : IUFRO Kanazawa 2003 "Forest  
Insect Population Dynamics and Host  
Influences" / Foreword / Contents

|                                 |   |
|---------------------------------|---|
| 著者                              | Kamata Naoto  |
| journal or<br>publication title | "Proceedings : IUFRO Kanazawa 2003 ""Forest<br>Insect Population Dynamics and Host<br>Influences""" |
| year                            | 2006-03-01  |
| URL                             | <a href="http://hdl.handle.net/2297/6020">http://hdl.handle.net/2297/6020</a>                       |

International Symposium of IUFRO Kanazawa 2003  
"Forest Insect Population Dynamics and Host Influences"

14-19 September 2003

Kanazawa Citymonde Hotel, Kanazawa, Japan

Joint meeting of IUFRO working groups:

WG 7.01.02 "Tree Resistance to Insects"

Francois LIEUTIER, Michael WAGNER

WG 7.03.06 "Integrated management of forest defoliating insects"

Michael McMANUS, Naoto KAMATA, Julius NOVOTNY

WG 7.03.07 "Population Dynamics of Forest Insects"

Andrew LIEBHOLD, Hugh EVANS, Katsumi TOGASHI

Symposium Conveners

Dr. Naoto KAMATA, Kanazawa University, Japan

Dr. Katsumi TOGASHI, Hiroshima University, Japan

Proceedings: International Symposium of IUFRO Kanazawa 2003

"Forest Insect Population Dynamics and Host Influences"

Edited by Naoto KAMATA, Andrew M. LIEBHOLD, Dan T. QUIRING, Karen M. CLANCY

Published by Kanazawa University, Kakuma, Kanazawa, Ishikawa 920-1192, JAPAN

March 2006

Printed by Tanaka Shobundo, Kanazawa Japan

ISBN 4-924861-93-8

For additional copies:

Kanazawa University 21st-COE Program, Kakuma, Kanazawa, Ishikawa 920-1192, Japan

FAX: +81-76-234-6844, [yaku4433@p.kanazawa-u.ac.jp](mailto:yaku4433@p.kanazawa-u.ac.jp)

or

Naoto Kamata ([kamatan@uf.a.u-tokyo.ac.jp](mailto:kamatan@uf.a.u-tokyo.ac.jp))

You can download PDF files from a web site at

<http://kamatan.uf.a.u-tokyo.ac.jp/symp/iufro2003kanazawa/proceedings/>

IUFRO Kanazawa 2003



# PROCEEDINGS



INTERNATIONAL SYMPOSIUM  
“Forest Insect Population Dynamics and Host Influences”

Joint meeting of IUFRO working groups:  
7.01.02 Tree Resistance to Insects  
7.03.06 Integrated management of forest defoliating insects  
7.03.07 Population dynamics of forest insects

Kanazawa Citymonde Hotel, Kanazawa, Japan

14-19 September 2003

Sponsored by:

IUFRO-J

Ishikawa Prefecture

Kanazawa City

21st-COE Program of Kanazawa University

Editors

Naoto KAMATA

Andrew M. LIEBHOLD

Dan T. QUIRING

Karen M. CLANCY

## FOREWORD

This meeting was the first occasion that IUFRO units 7.01.02 “Tree Resistance to Insects”, 7.03.06 “Integrated management of forest defoliating insects”, and 7.03.07 “Population dynamics of forest insects” have met jointly.

The meeting was attended by 100 delegates representing 15 countries (Belgium, Canada, Finland, France, Hungary, Iran, Japan, Lithuania, New Zealand, Poland, Portugal, Slovakia, Switzerland, Sweden, USA). There were 31 oral papers presented and 40 poster presentations. Topics for these presentations covered population dynamics of forest insects, insect-tree interactions, effects of insects and diseases in forest ecosystems, integrated management of forest insects, and biological control of forest insects.

The meeting also included an all-day trip to Ishikawa and Fukui Prefectures where extensive damage caused by Japanese oak wilt disease was observed, and trees killed by the pine wood nematode. Following the meeting, there was an optional 2-day post-conference tour of regional sites of cultural and biological interest.

The proceedings document the efforts of many individuals: those who made the meeting possible, those who made presentations, and those who compiled and edited the proceedings. Co-sponsorship of the meeting was also provided by IUFRO-J, Ishikawa Prefecture, Kanazawa City, and the 21st-COE Program of Kanazawa University. I would like to thank to all of these.

I must apologize to all contributors for a great delay of publishing the proceedings. I received a bulk of mails asking the timing of publishing. It was tough work for me to have the meeting. After the meeting I experienced burnout and needed a rest. I will relocate to the University of Tokyo since April 2006. I gave a big pressure to other editors because time for editing was limited. I feel very sorry for them. Now, everything is my treasured memory. Thank you for all.

Naoto KAMATA, Chief Editor

March 2006

# CONTENTS

## *Full Papers*

- Pine Wilt Disease: Various Biological Relationships and Resulting Events ..... 1**  
*Kazuyoshi FUTAI*
- Invasive Alien Species Issues ..... 6**  
*Keizi KIRITANI*
- Rich Biota in the Forests of Yanbaru, Northern Montane Part of Okinawa Island, Japan, and Imminent Extinction Crisis of the Endangered Species..... 11**  
*Yosiaki ITÔ*
- Thanasimus formicarius* (Coleoptera: Cleridae): Why a Large Range of Prey for a Specialized Predator?.....16**  
*Nathalie WARZEE, Jean-Claude GREGOIRE*
- Host Preference of *Tomicus piniperda* and *Tomicus destruens* for Three Pine Species..... 19**  
*Teresa VASCONCELOS, Neusa NAZARÉ, Manuela BRANCO, Carole KERDELHUE, Daniel SAUVARD, François LIEUTIER*
- The Effect of Acid Rain on the Defense Response of Pines to Pinewood Nematodes ..... 22**  
*Ei-ichiro ASAI, Kazuyoshi FUTAI*
- How Do Birch Defenses Operate?.....26**  
*Erkki HAUKIOJA*
- What Causes Spatio-Temporal Variations in Leaf Herbivory Levels within a Canopy of *Fagus crenata*?..... 31**  
*Michimasa YAMASAKI*
- Effects of Ortet Genotype and Western Spruce Budworm Defoliation on Foliar Nutrients in Douglas-fir Clones.....37**  
*Karen M. CLANCY, Zhong CHEN, Thomas E. KOLB*
- Intra- and Interspecific Variations in the Balance between Ant and Non-Ant Defenses in *Macaranga* ..... 45**  
*Masahiro NOMURA, Aya HATADA, Takao ITIOKA*
- Leaf Longevity and Defense Characteristics in Trees of Betulaceae.....53**  
*Takayoshi KOIKE, Sawako MATSUKI, Dongsu CHOI, Takeshi MATSUMOTO, Yasuaki SAKAMOTO, Yutaka MARUYAMA*

|   |           |
|---|-----------|
| <b>Three Pistachio Species Evaluated For Resistance to the Common Pistachio Psylla, <i>Agonoscena pistaciae</i> .....</b>   | <b>58</b> |
| <i>M.Reza MEHRNEJAD</i>   |           |
| <b>Finding the Area of Origin of the Horse-Chestnut Leaf Miner: a Challenge .....</b>   | <b>63</b> |
| <i>M. KENIS, S. GIRARDOZ, N. AVTZIS, J. FREISE, W. HEITLAND, G. GRABENWEGER, F. LAKATOS, C. LOPEZ VAAMONDE, A. SVATOS, R. TOMOV</i>   |           |
| <b>The Genetic Background of Three Introduced Leaf Miner Moth Species - <i>Parectopa robiniella</i> Clemens 1863, <i>Phyllonorycter robiniella</i> Clemens 1859 and <i>Cameraria ohridella</i> Deschka et Dimic 1986.....</b> | <b>67</b> |
| <i>Ferenc LAKATOS, Zoltán KOVÁCS, Christian STAUFFER, Marc KENIS, Rumen TOMOV, Donald R. DAVIS</i>  |           |
| <b>Preliminary Results on Predation of Gypsy Moth Pupae during a Period of Latency in Slovakia .....</b>  | <b>72</b> |
| <i>Marek TURČÁNI, Július NOVOTNÝ, Andrew M. LIEBHOLD, Michael MCMANUS</i>   |           |
| <b>Ecosystem Function and the Prediction of Tree Resistance to Defoliators .....</b>  | <b>78</b> |
| <i>M.K. (Nod) KAY, Stephen D. WRATTEN</i>   |           |
| <b>Growth Responses and Mortality of Scots Pine (<i>Pinus sylvestris</i> L.) after a Pine Sawfly Outbreak.....</b>  | <b>81</b> |
| <i>Päivi LYYTIKÄINEN-SAARENMAA, Pekka NIEMELÄ, Erkki ANNILA</i>   |           |
| <b>Application of Balsam Fir Sawfly Nucleopolyhedrovirus against its Natural Host <i>Neodiprion abietis</i> (Hymenoptera: Diprionidae).....</b>   | <b>86</b> |
| <i>Christina S. CAMPBELL, Dan T. QUIRING, Edward G. KETTELA, Christopher J. LUCAROTTI</i>   |           |
| <b>Seed-insect fauna in pre-dispersal acorns of <i>Quercus variabilis</i> and <i>Q. serrata</i> and its impact on acorn production.....</b>   | <b>90</b> |
| <i>Hiroshi FUKUMOTO, Hisashi KAJIMURA</i>   |           |
| <b>Characteristics of the Resistance of <i>Pinus armandii</i> var. <i>amamiana</i>, an Endangered Pine Species in Japan, to Pine Wilt Disease.....</b>  | <b>94</b> |
| <i>Katsunori NAKAMURA, Mitsuteru AKIBA, Seiichi KANETANI</i>  |           |
| <b>Spruce Bark Beetle (<i>Ips typographus</i> L.) Risk Based on Individual Tree Parameters .....</b>  | <b>96</b> |
| <i>Paulius ZOLUBAS</i>  |           |
| <b>Efficiency of Different Types of Pine Trap Trees.....</b>  | <b>98</b> |
| <i>Artūras GEDMINAS, Jurate LYNIKIENE</i>   |           |

|  |            |
|--|------------|
| <b>Outbreaks of Pine Defoliating Insects and Radial Growth .....</b>   | <b>100</b> |
| <i>Artūras GEDMINAS</i>  |            |
| <b>Effects of Chemical and Biological Insecticides on the Community and Diversity of Litter Insects.....</b>   | <b>103</b> |
| <i>Jurate LYNIKIENE, Paulius ZOLUBAS</i>   |            |
| <b>Comparison of Foliar Defense by Chemical Analysis and Bioassay in Betulaceae Seedlings .....</b>  | <b>107</b> |
| <i>Sawako MATSUKI, Hirohumi HARA, Takayoshi KOIKE</i>  |            |
| <b>Population Fluctuation of the Stink Bug, <i>Plautia crossota stali</i>, as Affected by Cone Production of Japanese Cedar.....</b>                                       | <b>110</b> |
| <i>Masahiko MORISHITA</i>  |            |
| <b>Ontogenetic Resistance in <i>Pinus ponderosa</i> to <i>Rhyacionia neomexicana</i> (Lepidoptera: Tortricidae): Role of Anatomical Features .....</b>                     | <b>112</b> |
| <i>Michael R. WAGNER, Zhong CHEN</i>   |            |
| <b>Stand-Level Defoliation Ratio by Herbivorous Insects along Altitudes, between Geological Features, and between Topography on Mt. Kinabalu, Borneo.....</b>              | <b>116</b> |
| <i>Shizuo SUZUKI, Kanehiro KITAYAMA, Shin-ichiro AIBA, Masaaki TAKYU, Kihachiro KIKUZAWA</i>   |            |
| <b>Do Ectomycorrhizal Mutualists Influence Douglas-fir Resistance to Defoliation by the Western Spruce Budworm? .....</b>  | <b>120</b> |
| <i>Karen M. CLANCY, Barbara L. PALERMO, George W. KOCH</i>   |            |
| <b>Effects of Simulated Partial Cotyledon Herbivory on Seedling Growth in <i>Quercus crispula</i> Acorns.....</b>  | <b>124</b> |
| <i>Naoya WADA, Naoto KAMATA</i>  |            |
| <b>Water Relations of <i>Quercus mongolica</i> Seedlings Inoculated with <i>Raffaelea quercivora</i>: Ambrosia Fungi Related with Mass Mortality of Oaks in Japan.....</b> | <b>128</b> |
| <i>Mariko YAMATO, Toshihiro YAMADA, Kazuo SUZUKI</i>   |            |
| <b>Defense Responses of Oak Trees against the Fungus <i>Raffaelea quercivora</i> Vectored by the Ambrosia Beetle <i>Platypus quercivorus</i>.....</b>                      | <b>132</b> |
| <i>Toshihiro YAMADA, Yu ICHIHARA, Keko HORI</i>  |            |

### *Abstracts*

|   |            |
|---|------------|
| <b>Periodical Cicada Brood Borders are Maintained by Competition and Allee Dynamics .....</b> | <b>136</b> |
| <i>Andrew LIEBHOLD, Richard KARBAN</i>  |            |
| <b>Induced Response of Oak Trees to <i>Raffaelea quercivora</i> as a Possible Defense</b>     |            |

|   |            |
|---|------------|
| <b>against Japanese Oak Wilt Caused by the Ambrosia Fungus Carried by an Ambrosia Beetle .....</b>  | <b>137</b> |
| <i>Kenryu KATO, Hisahito OANA, Nobuko KAKIUCHI, Masayuki MIKAGE, Naoto KAMATA, Kojiro ESAKI, Tohru MITSUNAGA, Shin-ichiro ITO</i>   |            |
| <b>Study of <i>Quercus crispula</i> Wood Extractives Damaged from <i>Platypus quercivorous</i> Attack.....</b>  | <b>138</b> |
| <i>Miwa KASAI, Shin-ichiro ITO, Tohru MITSUNAGA, Naoto KAMATA</i>   |            |
| <b>Sensory Cues for Shelter Use .....</b>   | <b>139</b> |
| <i>Niklas BJÖRKLUND</i>   |            |
| <b>Population Dynamics of Willow Leaf Beetles in Managed and Natural Willow Stands.....</b>   | <b>140</b> |
| <i>Peter DALIN</i>  |            |
| <b>Harvesting Disrupts Biological Control of Leaf Beetles in Short-Rotation Coppice Willows .....</b>   | <b>141</b> |
| <i>Christer BJÖRKMAN</i>  |            |
| <b>Reproductive Success of the Spruce Bark Beetle <i>Ips typographus</i> and Impact of Natural Enemies in Five Years Following a Storm-Felling .....</b>                  | <b>142</b> |
| <i>Martin SCHROEDER, Åke LINDELÖW</i>   |            |
| <b>Temporal Patterns in <i>Epirrita autumnata</i> Dynamics: Parasitoids and Other Possible Factors.....</b>   | <b>143</b> |
| <i>Helena BYLUND, Olle TENOW</i>  |            |
| <b>Is the Parasitoid <i>Perilitus areolaris</i> a Significant Mortality Factor for Adult Pine Weevils?.....</b>   | <b>144</b> |
| <i>Helena BYLUND, Henrik NORDENHEM and Göran NORDLANDER</i>   |            |
| <b>Relationships between Defensive Characteristics of <i>Fagus crenata</i> Galls and the Timing of Gall Fall .....</b>  | <b>145</b> |
| <i>Kenji TOKUNAGA, Naoto KAMATA</i>   |            |
| <b>Linking Ecosystem Ecology to Insect Population Ecology: Nitrogen Cycling, Foliage Properties, and Insect Outbreaks.....</b>  | <b>146</b> |
| <i>Naoto KAMATA, Yuki KUNIHISA, Lina KOYAMA, Naoya WADA</i>   |            |
| <b>Semiochemical Diversity and Niche Partitioning among Scolytids and the Generalist Bark-Beetle Predator, <i>Thanasimus formicarius</i> (Coleoptera: Cleridae) .....</b> | <b>147</b> |
| <i>Nathalie WARZEE, Jean-Claude GREGOIRE, Hervé JACTEL, Pierre MENASSIEU, Christian MALOSSE</i>   |            |



**Utilization of the Symbiotic Fungus Propagated in Host-Tree before Oviposition by a Woodwasp, *Urocerus japonicus* (Hymenoptera: Siricidae) ..... 148**

*Hideshi FUKUDA, Akira SANO*

**Reaction of the Ambrosia Beetle *Platypus quercivorus* to Gallic Acid and Ellagic Acid in Oak Sapwood ..... 149**

*Hisahito OANA, Nobuko KAKIUCHI, Masayuki MIKAGE, Naoto KAMATA, Kojiro ESAKI, Tohru MITSUNAGA, Shin-ichiro ITO*

**Volatile Compounds Related to Attractant of *Platypus quercivorus* (Murayama) from *Quercus crispula* ..... 150**

*Hiroyuki TAKEMOTO, Shin-ichiro ITO, Tohru MITSUNAGA, Naoto KAMATA, Masahide KOBAYASHI*

**Stand-Level Distribution and Movement of *Platypus quercivorus* Adults and Spatial Patterns of Attacks ..... 151**

*Kojiro ESAKI, Kenryu KATO, Naoto KAMATA*

**Influence of Light Condition on the Spatial Distribution of an Ambrosia Beetle *Platypus quercivorus* (Murayama) (Coleoptera: Platypodidae) Flying in a Natural Secondary Broad-Leafed Forest..... 152**

*Yutaka IGETA, Kenryu KATO, Naoto KAMATA, Kojiro ESAKI*

**Analysis of Japanese Oak Wilt Spread Using Aerial Photography and GIS..... 153**

*Ryotaro KOMURA, Naoto KAMATA, Ken-ichiro MURAMOTO, Andrew LIEBHOLD, Koujiro ESAKI*

**Missing Oral Papers.....154**

**Missing Poster Papers..... 156**

**Program.....157**

**Poster Awards ..... 165**

**Photos.....166**

**List of Participants ..... 173**