

非プロテイン性シグナル分子を基盤とする新規抗炎症薬の開発

著者	向 智里
著者別表示	Mukai Chisato
雑誌名	平成10(1998)年度 科学研究費補助金 基盤研究(C) 研究成果報告書概要
巻	1997 1998
ページ	2p.
発行年	1999-12-07
URL	http://doi.org/10.24517/00059652



1998 Fiscal Year Final Research Report Summary

Development of Novel Antiinflammatory Drugs Based on Nonproteinaceous Signal Molecules

Research Project

Project/Area Number

09672277

Research Category

Grant-in-Aid for Scientific Research (C)

Allocation Type

Single-year Grants

Section

一般

Research Field

医薬分子機能学

Research Institution

Kanazawa University

Principal Investigator

MUKAI Chisato Graduate School of Natural Science and Technology, Kanazawa University Professor, 大学院・自然科学研究科, 教授 (70143914)

Project Period (FY)

1997 - 1998

Keywords

nonproteinaceous low molecular / elicitor / secosyrin / syributin / syringolide / total synthesis

Research Abstract


In 1993 syringolides 1 and 2, novel nonproteinaceous low molecular weight metabolites possessing the ability of eliciting a hypersensitive reaction in soybean plants, were isolated from *Pseudomonas syringae* pv. tomato. The related compounds, secosyrins 1 and 2, and syributins 1 and 2 have also been isolated. We tried to synthesize these bioactive compounds and several their derivatives hoping to develop the further useful compounds having stronger antiinflammatory activity. Thus, D-tartrate was taken as a starting material, which was converted to the tetrahydrofuran derivative. This compound was then transformed into the corresponding dioxaspiro one, from which the first total synthesis of (+)-secosyrins 1 and 2 was accomplished. This total

synthesis of secosyrins 1 and 2 unambiguously established their absolute stereochemistry. We also could develop an efficient alternative way for the preparation of (+)-syributins 1 and 2. Based on the result so far obtained, we are now trying to synthesize more complex syringolides 1 and 2.


Research Products (4 results)

All Other

All Publications (4 results)

[Publications] Chisato Mukai: "Total Synthesis of (+)-Secosyrins 1 and 2 and (+)-syributins 1 and 2" J.Org.Chem.62. 8095-8103 (1997) 

[Publications] Chisato Mukai: "First Total Synthesis of (+)-Secosyrin 1" Tetrahedron Letters. 38. 2511-2512 (1997) 

[Publications] Chisato Mukai: "Total synthesis of (+)-Secosyrins 1 and 2 and (+)-Syributins 1 and 2" J.Org.Chem.62. 8095-8103 (1997) 

[Publications] Chisato Mukai: "First Total Synthesis of (+)-Secosyrin 1." Tetrahedron Letters. 38. 2511-2512 (1997) 

URL: https://kaken.nii.ac.jp/report/KAKENHI-PROJECT-09672277/096722771998kenkyu_seika_hokoku

Published: 1999-12-07