

担癌宿主に於けるサイトカインネットワーク分子機構の解析

著者	松島 綱治
著者別表示	Matsushima Kouji
雑誌名	平成5(1993)年度 科学研究費補助金 がん特別研究 研究概要
巻	1993
ページ	3p.
発行年	2016-04-21
URL	http://doi.org/10.24517/00060287



[◀ Back to previous page](#)

担癌宿主に於けるサイトカインネットワーク分子機構の解析

Research Project

Project/Area Number	05151028	All
Research Category	Grant-in-Aid for Cancer Research	
Allocation Type	Single-year Grants	
Research Institution	Kanazawa University	
Principal Investigator	松島 綱治 金沢大学, がん研究所, 教授 (50222427)	
Co-Investigator(Kenkyū-buntansha)	横田 崇 東京大学, 医科学研究所, 助教授 (50134622) 栗林 景容 三重大学, 医学部, 教授 (10064578) 藤原 大美 大阪大学, 医学部・附属バイオメディカル教育研究センター, 助教授 (70116094) 審良 静男 大阪大学, 細胞生体工学センター, 助手 (50192919) 向田 直史 金沢大学, がん研究所, 助教授 (30182067)	
Project Period (FY)	1993	
Project Status	Completed (Fiscal Year 1993)	
Budget Amount *help	¥16,000,000 (Direct Cost: ¥16,000,000) Fiscal Year 1993: ¥16,000,000 (Direct Cost: ¥16,000,000)	
Keywords	サイトカイン / 癌病態 / 産生制御 / 生体工学	

Research Abstract

担癌宿主に於ける種々の癌病態を制御するサイトカインネットワーク分子機構の解析として以下のような成果があった。1)マウス大腸癌細胞株colon26のin vitroとin vivoにおけるサイトカイン産生を比較したところ大きく異なることが判明した。更に、悪疫質をおこす株では選択的にIL6をin vivoで発現し、おこさない株ではIL6の産生がみられずIL1 receptor antagonistの発現が観られた。2)担癌宿主では腫瘍由来TGFβによるCD4+Thのサイトカイン産生抑制に加えIL6がMoによるTNF産生を抑制して抗腫瘍生体防御能を低下させていることがわかった。3)CD4+のCTL誘導抑制性Tsの存在を明らかにし、CTL標的抗原を決定した。4)ヒト胸腔内Moが癌性胸水中リンパ球のIL2による活性化を増強するとともにIL12がCD8+Tリンパ球よりCTLを誘導する時もMoが関与することを明らかにした。5)gp130,NF-IL6ノックアウトマウスを作製した。6)癌病態調節サイトカインIL8,IL6の遺伝子発現調節機構を詳細に解明した。in vitroとin vivo(癌部位)におけるサイトカイン産生検索は、サイトカインネットワーク解析の仕事はin vivoを想定してのみなすことを示した。今後更に担癌にともないどのようなサイトカインが実際に発現されるのか、その産生細胞はどれか、実際にin vitroの観察から予想されているようなサイトカインネットワークが存在するのかわる種々の癌細胞株を用いたマウスでのモデル実験を行なうとともにヒト癌においても検証する必要がある。サイトカイン-遺伝子発現調節機構解析、受容体シグナル伝達機構解析の基礎研究をサイトカイン遺伝子、受容体遺伝子、転写因子、シグナル伝達分子ノックアウトマウス作製の仕事と連結し、サイトカインネットワーク機構解析のためのよいモデル動物を提供できることを期待する。

Report (1 results)

1993 Annual Research Report

Research Products (63 results)

All Other

All Publications

[Publications] Hirose,K.,et.al.: "Overexpression of mitochondrial manganese superoxide dismutase promotes the survival of tumor cells exposed to interleukin 1,tumor necrosis factor,selected anticancer drugs,and ionizing radjation." FASEB J.7. 361-368 (1993)



[Publications] Ko,Y.-C.,et.al.: "Elevated IL-8 level in the urine of patients with urinary tract infections." Infect.Immunol.61. 1307-1314 (1993)



[Publications] Morita,M.,et.al.: "Induction and regulation of IL-8 and MCAF production in human brain tumor cell lines and brain tumor tissues." Eur.Cytokine Netw.4. 351-358 (1993)



[Publications] Maruyama,H.,et.al.: "Murine endothelial cell line cells,F-2:Interaction with leukocytes and cytokines production." Microbiol.Immunol.37. 895-903 (1993)



[Publications] Yoshioka,K.,et.al.: "In situ expression of cytokines in IgA nephritis." Kidney International. 44. 825-833 (1993)



[Publications] Jinquan,T.,et.al.: "Human IL-10 is a chemoattractant for CD8+ T lymphocytes and an inhibitor of IL-8 induced CD4+T lymphocyte migration." J.Immunol.151. 4545-4551 (1993)



[Publications] Abe,Y.,et.al.: "Transient rise in serum interleukin-8 concentration during acute myocardial infarction." British Heart J.70. 132-134 (1993)



[Publications] Tsuchiya,I.,et.al.: "Induction of inflammatory cytokines in the pleural effusin of cancer patients after the administration of an immunomodulator OK-432:role of IL 8 and C5a for neutrophil infiltration." Cytokine. (in press.).



[Publications] Harada,A.,et.al.: "Expression of recombinant rabbit IL-8 in Escherichia coil and establishment of the essential involvement of IL-8 in recruiting neutrophils into lipopolysaccharide-induced inflammatory site of rabbit skin." Int.Immunol.5. 681-690 (1993)



[Publications] Kuno,K.,et.al.: "Structure and function of the intracellular portion of the mouse interleukin 1 receptor(type 1)." J.Biol.Chem.268. 13510-13518 (1993)



- [Publications] Taub,D.D.,et.al.: "Recombinant human interferon-inducible protein 10 is a chemottractant for human monocytes and T Lymphocytes and promotes T cell adhesion to endothelial cells." J.Exp.Med.177. 1809-1814 (1993) ▼
- [Publications] Gusella,G.L.,et.al.: "IL-2 up-regulates but IFN- γ suppresses IL-8 expression in human monocytes." J.Immunol.151. 2725-2732 (1993) ▼
- [Publications] Sekido,N.,et.al.: "Prevention of lung reperfusion injury in rabbits by a monoclonal antibody against interleukin-8." Nature. 365. 654-657 (1993) ▼
- [Publications] Akahoshi,T.,et.al.: "Expression of monocyte chemotactic and activating factor in rheumatoid arthritis." Arthritis and Rheumatism.36. 762-771 (1993) ▼
- [Publications] Nomura,H.,et.al.: "Molecular cloning of cDNAs encoding a LD78 receptor and putative leukocyte chemotactic peptide receptors." Int.Immunol.5. 1239-1249 (1993) ▼
- [Publications] Matsusaka,T.,et.al.: "NF-IL6 and NF-kB synergistically activate transcription of the inflammatory cytokines,IL-6 and IL-8." Proc.Natl.Acad.Sci.U.S.A.90. 10193-10197 (1993) ▼
- [Publications] Sigh,R.K.,et.al.: "Synergism between human monocyte chemotactic and activating factor and bacterial products for activation of tumoricidal properties in murine macrophages." J.Immunol.151. 2786-2793 (1993) ▼
- [Publications] Horiguchi,H.,et.al.: "Cadmium induces interleukin-8 production in human peripheral blood mononuclear cells with the concomitant generation of superoxide radicals." Lymphokine and cytokine research. 12. 421-428 (1993) ▼
- [Publications] Morita,M.,et.al.: "Induction and regulation of IL-8 and MCAF production in human brain tumor cell lines and brain tumor tissues." Eur.Cytokine Netw.4. 351-358 (1993) ▼
- [Publications] Okamoto,S.,et.al.: "The interleukin-8 AP-1 and kB-like sites are genetic end targets of FK506-sensitive pathway accompanied by calcium mobilization." J.Biol.Chem.(in press.). (1994) ▼
- [Publications] Mukaida,N.,et.al.: "A novel mechanism of glucocorticoid-mediated gene repression:nuclear factor-kB site is the target for glucocorticoid-mediated interleukin 8 gene repression." J.Biol.Chem.(in press.). ▼
- [Publications] Nakano,Y.,et.al.: "Protection of lethal bacterial infection in mice by monocyte chemotactic and activating factor(MCAF)." Infect.Immun.(in press.). ▼
- [Publications] Nielsen,B.W.,et.al.: "Macrophage as producer of chemotactic proinflammatory cytokines." Macrophage pathogen interactions.131-142 (1994) ▼
- [Publications] Okamoto,S.,et.al.: "Molecular mechanism of interleukin 8 gene expression." IIIrd International Symposium of Chemotactic Cytokines.(in press.). ▼
- [Publications] Kyo,S.,et.al.: "NF-IL6 represses early gene expression of human papillomavirus type 16 through the binding to the non coding region." J.Virology. 67. 1058-1066 (1993) ▼
- [Publications] Nakajima,T.,et.al.: "Phosphorylation at threonine 235 by a ras-dependent MAP kinase cascade is essential for transcriptional activation of NF-IL6." Proc.Natl.Acad.Sci.USA. 90. 2207-2211 (1993) ▼
- [Publications] Nishio,Y.,et.al.: "A nuclear factor for interleukin-6 expression(NF-IL6)and the glucocorticoid receptor synergistically activate transcription of the rat α 1-acid glycoprotein gene via direct protein-protein interaction." Mol.Cell.Biol.13. 1854-1862 (1993) ▼
- [Publications] Akira,S.,et.al.: "Interleukin-6 in biology and medicine." Advances in Immunology. 54. 1-78 (1993) ▼
- [Publications] Betts,J.C.,et.al.: "The role of NF-kB and NF-IL6 transactivating factors in the synergistic activation of human serum amyloid A gene expression by interleukin-1 and interleukin-6." J.Biol.Chem.268. 25624-25631 (1993) ▼
- [Publications] Kishimoto,T.,et.al.: "Interactions of cytokines with the receptor family." Cell. 76. 253-262 (1994) ▼
- [Publications] Sugihara,S.,et.al.: "Thyroiditis-inducing T cell lines and clones derived from autoimmune thyroiditis lesions induced in mice by the elimination of regulatory T cell subset." J.Immunol.150. 683-694 (1993) ▼
- [Publications] Li,X-F.,et.al.: "Transforming growth factor- β (TGF- β)-mediated immunosuppression in the tumor-bearing state:Enhanced production of TGF- β and a progressive increase in TGF- β susceptibility of anti-tumor CD4+T cell function." Jpn.J.Cancer Res.84. 315-325 (1993) ▼
- [Publications] Iwata,H.,et.al.: "Suppression of allograft responses by combining donor alloantigen-specific i.v.presensitization with suboptimal doses of FK506." Transplantation. 56. 173-180 (1993) ▼
- [Publications] Fujiwara,H.,et.al.: "Role of thymic stromal cells in inducing T cell differentiation in the thymus." Proc.of 3rd International Symposium on Immunotherapy. in press. (1993) ▼
- [Publications] Nagata,T.,et.al.: "Suppression of anti-tumor CD4+T cell responsiveness in the tumor-bearing state and its recovery by maintaining in the in vitro cultures free of tumor burden." Jpn.J.Cancer Res.84. 1181-1189 (1993) ▼
- [Publications] Kita,Y.,et.al.: "Thymic stroma-derived T cell inhibitory factor(TSTIF).I.TSTIF induces inhibition of antigen-stimulated T cell proliferation." Thymus-J.of T cell Biology. 21. 159-175 (1993) ▼
- [Publications] Tai,X-G.,et.al.: "Thymic stroma-derived T cell inhibitory factor(TSTIF).II.TSTIF acts on the antigen-stimulated cell to inhibit antigen-stimulated T cell proliferation." Thymus-J.of T cell Biology. 21. 247-258 (1993) ▼
- [Publications] Zou,J-P.,et.al.: "Recovery of anti-tumor CD4+T cell responsiveness suppressed in the tumor-bearing state by release from tumor burden." J.Cancer Res.Clin.Oncol.(in press). (1993) ▼
- [Publications] Uehira,M.,et.al.: "The development of dermatitis infiltrated by as T cells in IL-7 transgenic mice." Int.Immunol.5. 1619-1627 (1993) ▼
- [Publications] Iwata,H.,et.al.: "Suppression of allograft responses by combining alloantigen-specific i.p.presensitization with suboptimal doses of FK506 or rapamycin." Transplant.Proc.(in press). (1993) ▼
- [Publications] Narumiya,S.,et.al.: "Pre-B cells adhere to fibronectin via interactions of VLA-5/vitronectin receptor with RGDs as well as of VLA-4 with V region sequences,at its different binding sites." Int.Immunol.6. 139-147 (1994) ▼
- [Publications] Iwata,H.,et.al.: "Suppression of allograft responses by combining alloantigen-specific i.v.presensitization with suboptimal doses of rapamycin." Int.Immunol.6. 93-99 (1994) ▼

- [Publications] Mizuhara,H.,et.al.: "T cell activation associated hepatic injury:Mediation by tumor necrosis factor and protection by interleukin-6." J.Exp.Med.(in press). ▼
- [Publications] Teramura,Y.,et.al.: "Interferon- γ -producing tumor induces host tumor-specific T cell responses." Jap.J.Cancer Res.84. 689-696 (1993) ▼
- [Publications] Iwashiro,M.,et.al.: "Multiplicity of virus-encoded helper T-cell epitopes expressed on FBL-3 tumor cells." J.Virol.67. 4533-4542 (1993) ▼
- [Publications] Yanagawa,S.,et.al.: "Mouse mammary tumor virus with rearranged long terminal repeats causes murine lymphomas." J.Virol.67. 112-118 (1993) ▼
- [Publications] Uenaka,A.,et.al.: "Roles of CD8+ and CD4+ cells on lethal graft-versus-host disease in nude mice." Transplant Immunol.1. 132-136 (1993) ▼
- [Publications] Morioka,A.,et.al.: "Effects of non-major histocompatibility complex background genes on the induction of CD4+T cells that prevent rejection of a highly immunogenic tumor,FBL-3." Int.Immunol.(in press). (1994) ▼
- [Publications] Nakagawa,Y.,et.al.: "Inhibition of MAIDS development by the transplantation of bone marrow cells carrying Fv-4 resistant gene to the MAIDS virus-infected mice." J.Virol.(in press). (1994) ▼
- [Publications] Suzuki,M.,et.al.: "Reconstitution of anti-tumor effects of Lentinan in nude mice:Roles of DTH reaction triggered by CD4 positive T cell clone in the infiltration of effector cells into tumor." Jap.J.Cancer Res.(in press). (1994) ▼
- [Publications] Koyano-Nakagawa,N.,et.al.: "Reconstitution of the functional GM-CSF promoter:Evidence for distinct activation mechanisms that mediate the response to phorbol ester/calcium and HTLV-Tax signals." Int.Immunol.5. 345-352 (1993) ▼
- [Publications] Lee H-J.,et.al.: "cAmp activates the IL-5 promoter synergistically with phorbol ester through the signaling pathway involving protein kinase A in mouse thymoma line EL-4." J.Immunol.151. 6135-6142 (1993) ▼
- [Publications] Watanabe,S.,et.al.: "Reconstituted human granulocyte-macrophage colony-stimulating factor(GM-CSF)receptor transduces growth promoting signals in mouse NIH3T3 cells:Comparison with signalling in BA/F3 proB cells." Mol.Cell.Biol.13. 1440-1448 (1993) ▼
- [Publications] Watanabe,S.,et.al.: "Differential Regulation of c-fos,c-jun and c-myc Protooncogenes through Human Granulocyte Macrophage Colony-Stimulating Factor Receptor in BA/F3 pro-B cells and NIH3T3 cells:Selective Activation of c-fos Promoter by Genistein." Mol.Biol.Cell.4. 983-992 (1993) ▼
- [Publications] Yokota,T.,et.al.: "Reconstitution of functional human GM-CSF receptor in mouse NIH3T3 fibroblast and BA/F3 proB cells." Leukemia. 7. S102-S107 (1993) ▼
- [Publications] Hironaka,T.,et.al.: "Structural study of the Sugar chains of porcine factor VIII;tissue-and species-specific glycosylation of factor VIII." Arch.Biochem.Biophys.307. 316-330 (1993) ▼
- [Publications] Takahashi,K.,et.al.: "Conversion of G-protein specificity of insulin-like growth factor II/mannose 6-phosphate receptor by exchanging of a short region with beta-adrenergic receptor." Proc.Natl.Acad.Sci.USA. 90. 11772-11776 (1993) ▼
- [Publications] Masuda,E.,et.al.: "GM-CSF,IL-3,IL-4 and I1-5:Regulation of genes and signal transduction by their receptors." Molecular Biology of Hematopoiesis. Vol3(in press). ▼
- [Publications] Arai,K.,et.al.: "Hematopoietic growth factors on human chromosome 5:genes and their receptors." J.Cell.Biochem.(in press). ▼
- [Publications] Lee,H.J.,et.al.: "Signals and nuclear factors that regulate the expression of interleukin 4 and interleukin 5 genes in helper T cells." J.Allergy and Clinical Immunology Supplement. (in press). ▼
- [Publications] Chen,J.X.,et.al.: "Activation of early response genes and cell proliferation by human IL-3,GM-CSF,and IL-5 receptors:comparison with human IL-4 receptor signaling." J.Allergy and Clinical Immunology Supplement. (in press). ▼
- [Publications] Koyano-Nakagawa,N.,et.al.: "Molecular cloning of a novel human cDNA encoding a zinc finger protein that binds to the interleukin 3 promoter." Mol.Cell.Biol.(in press). ▼
- [Publications] Nakagawa,Y.,et.al.: "Structure of the gene encoding the a subunit of the human granulocyte macrophage colony stimulating factor receptor:implications for the evolution of the cytokine receptor superfamily." J.Biol.Chem.(in press). ▼

URL:

Published: 1993-03-31 Modified: 2016-04-21