

Haruo UEMATSU\* : A List of the Plants Distributed  
on the Southern Japanese Alps (9)

植 松 春 雄\* 南アルプス産植物目録(九)

Note : Sept. -Oct., *Fagus*-zone, 700  
-1,200m, common.

LOGANIACEAE

*Buddleja japonica* HEMSL.

Distr. : (1) B, H (2) I-B.

Note : Aug., *Castanea*-zone, 900m,  
rare.

OLEACEAE

*Fraxinus apertisquamifera* HARA

Distr. : (1) G, H (2) I-B.

Note : July, *Castanea*-zone and *Fa-*  
*gus*-zone, 800-1,500m, rare.

*F. longicuspis* SIEB. et ZUCC.

Distr. : (1) D, H (2) I-B.

Note : July, *Fagus*-zone, 1,400m,

rare.

*Fraxinus sambucina* KOIDZ. (*F.*  
*apertisquamifera* HARA)

Distr. : (1) A, B, C, D, H (2) I-B.

Note : May-June, *Castanea*-zone,  
1,000m, common.

var. *pubescens* NAKAI

Distr. : (1) B, H (2) V-B.

Note : July, *Fagus*-zone, 1,300m,  
very rare.

*F. sieboldiana* BLUME

Distr. : (1) A, H (2) I-A (3)

Kurile and Korea.

Note : May-June, *Castanea*-zone,  
900m, very common.

\* 山梨県教育委員会学校教育課指導主事 Teacher Consultant, School Education  
Section at Yamanashi Prefectural Board of Education

*Fraxinus spaethiana* LINGELSSH.

Distr. : (1) A, B, C, D, E, F (2)

II-A.

Note : July, *Fagus*-zone, 1,500m,  
common. (Climatic Element)var. *nipponica* HARA

Distr. : (1) D, E, F (2) IV-F.

Note : July, *Fagus*-zone, 1,500m,  
very rare.*Ligustrum obtusifolium* SIEB. et ZUCC.

Distr. : (1) A, B, C, H (2) I-A.

Note : July, *Castanea*-zone, 700-  
1,000m, common.*L. tschonoskii* DECAISNE

Distr. : (1) A, B, C, H (2) I-A.

Note : July, *Fagus*-zone, 1,200-  
1,700m, common.*Osmanthus ilicifolius* (HASSK.) MOU-  
LLEFERT [*O. heterophyllus* (G.

DON) P. S. GREEN]

Distr. : (1) D (2) II-A.

Note : Sept., *Machilus*-zone, 500m,  
rare.*Syringa reticulata* (BLUME) HARA

Distr. : (1) B, H (2) I-A (3)

East Asiatic temperate zone.

Note : July, *Castanea*-zone, 900m,  
rare. (Geological History Ele-  
ment)

## STYLACACEAE

*Pterostyrax hispida* SIEB. et ZUCC.

Distr. : (1) A, B, F, H (2) I-B

Note : July, *Castanea*-zone, 1,000-  
1,500m, common.*Styrax japonica* SIEB. et ZUCC.

Distr. : (1) D (2) I-A.

Note : July, *Castanea*-zone, 800m,

common.

*Styrax obassia* SIEB. et ZUCC.

Distr. : (1) D, G, H (2) I-A (3)

Korea, Manchuria and China.

Note : July, *Castanea*-zone, 800m,  
common.*S. shiraiana* MAKINO

Distr. : (1) C, D (2) II-A.

Note : July, *Fagus*-zone, 1,500m,  
very rare. (Geological History  
Element)

## SYMPLOCACEAE

*Palura coreana* (LÉVEILLE) NAKAI[*Symplocos coreana* (LEVEILLÉ) OHWI]

Distr. : (1) B, H (2) II-A (3)

Quelpaert Isl.

Note : July, *Fagus*-zone, 1,500m,  
rare.*P. chinensis* (LOUR.) DRUCEvar. *leucocarpa* (NAKAI) HARA

Distr. : (1) B (2) I-B (3)

Korea.

Note : July, *Castanea*-zone, and  
*Fagus*-zone, 700-1,500m, rare.forma *pilosa* (NAKAI) OHWI

Distr. : (1) A, B, C, D, E, F

Note : July, *Castanea*-zone, and  
*Fagus*-zone, 700-1,500m,  
common.

## EBENACEAE

*Diospyros lotus* L. var. *glabra* MAKINODistr. : (1) D (2) Ryukyu and  
China.Note : July, *Castanea*-zone, 700m,  
rare.

## PRIMULACEAE

*Lysimachia acroadenia* MAXIM.

Distr. : (1) H (2) I-B (3) Que-  
lpaert Isl.

Note : Aug., *Castanea*-zone, 1,000  
m, very rare.

*Lysimachia clethroides* DUBY

Distr. : (1) C, E, H (2) I-A (3)  
Korea, Manchuria, China and  
Annam.

Note : July, *Castanea*-zone and *Fa-  
gus*-zone, 600-1,900m, comm-  
on.

*L. japonica* THUNB.

Distr. : (1) D, H (2) I-A (3)  
Ryukyu, Formosa, China and  
Malaysia.

Note : May, *Castanea*-zone, 600m,  
common.

*Primula japonica* A. GRAY

Distr. : (1) A, B, C, F (2) I-A  
(3) Formosa.

Note : July, *Castanea*-zone, 900m,  
rare.

*P. jesoana* MIQ.

Distr. : (1) G (2) V-A.

Note : May-June, *Fagus*-zone,  
1,500m, very rare.

*P. modesta* BISSET et MOORE

Distr. : (1) B (2) I-A.

Note : May-June, *Fagus*-zone,  
1,500m, very rare.

*P. reinii* FR. et SAV. var. *kitadaken-  
sis* (HARA) OHWI

Distr. : (1) B (2) IV-F.

Note : May-June, *Fagus*-zone and  
*Abies*-zone, 1,500-2,700m,  
very rare.

*P. sieboldii* E. MORREN

Distr. : (1) A, H (2) I-A (3)  
Korea, Manchuria and Eastern  
Siberia.

Note : May, *Castanea*-zone, and *Fa-  
gus*-zone, 700-1,400m, rare.

*Primula tosaensis* YATABE

Distr. : (1) H (2) III.

Note : May, *Castanea*-zone and  
*Fagus*-zone, 900-1,300m, very  
rare.

(Geological History Element)

var. *brachycarpa* (HARA) OHWI

Distr. : (1) A, F, H (2) IV-F.

Note : May, *Castanea*-zone, 1,200-  
1,300m, very rare.

(Lime Stone Region Element)

*Trientalis europaea* L.

Distr. : (1) B, F, G, H (2) V-A  
(3) Korea, Kurile, Saghalien,  
Alaska and Europe.

Note : Aug., *Abies*-zone, 2,000-  
2,600m, very common.

MYRSINACEAE

*Ardisia japonica* (THUNB.) BLUME

Distr. : (1) B, D, H (2) I-A (3)  
Korea, China and Formosa.

Note : Aug., *Machilus*-zone and  
*Castanea*-zone, 400-700m,  
rare. (Climatic Element)

*A. crenata* SIMS.

Distr. : (1) D (2) VII-B.

Note : July, *Machilus*-zone, 300m,  
very rare.

(Climatic Element)

DIAPENSIACEAE

*Diapensia japonica* L. var. *obovata*  
FR. SCHM.