

**Division
of
Molecular Pathology**

Publication list

1. Shibata, T., Iio, K., Kawai, Y., Shibata, N., Kawaguchi, M., Toi, S., Kobayashi, M., Kobayashi, M., Yamamoto, K., and Uchida, K. Identification of a lipid peroxidation product as a potential trigger of the p53 pathway. *J. Biol. Chem.*, 281, 1196-1204, 2006
2. Shiotani, B., Kobayashi, M., Watanabe, M., Yamamoto, K., Sugimura, T., and Wakabayashi, K. Involvement of the ATR- and ATM-dependent checkpoint responses in cell cycle arrest evoked by pierisin-1. *Mol. Cancer Res.*, 4, 125-133, 2006
3. Kobayashi, M., Ono, H., Mihara, K., Tauchi, H., Komatsu, K., Shimizu, H., Uchida, K., and Yamamoto, K. ATM activation by a sulfhydryl-reactive inflammatory cyclopentenone prostaglandin. *Genes to Cells*, 11, 779-789, 2006
4. Iwabuchi, K., Hashimoto, M., Matsui, T., Kurihara, T., Shimizu, H., Adachi, N., Yamamoto, K., Tauchi, H., Koyama, H., and Date, T. 53BP1 contributes to survival of cells irradiated with X-ray during G1 without Ku70 or Artemis. *Genes to Cells*, 11, 935-948, 2006
5. Yamamoto, K., Kobayashi, M., and Shimizu, H. ATM, a paradigm for a stress-responsive signal transducer in higher vertebrate cells. *Subcell Biochem.*, 40, 327-339, 2006.
6. Hayashi, N., Murakami, S., Tsurusaki, S., Nagaura, Z., Oki, M., Nishitani, H., Kobayashi, M., Shimizu, H., Yamamoto, K., and Nishimoto, T. temperature-sensitive defects of the GSP1 gene, yeast Ran homologue, activated the Tel1-dependent pathway. *Biochem. Biophys. Res. Comm.*, 353, 330-336, 2007.
7. Zhao, G.Y., Sonoda, E., Barber, L.J., Oka, H., Murakawa, Y., Yamada, K., Ikura, T., Wang, X., Kobayashi, M., Yamamoto, K., Boulton, S.J., and Takeda, S. A critical role for the ubiquitin-conjugating enzyme Ubc13 in initiating homologous recombination. *Mol. Cell*, 25, 663-675, 2007
8. Delacroix, S., Wagner, J.M., Kobayashi, M., Yamamoto, K., and Karnitz, L.M. The Rad9-Hus1-Rad1 (9-1-1) complex activates checkpoint signaling via TopBP1. *Genes and Development*, 21, 1472-1477, 2007
9. Hayashi, N., Kobayashi, M., Shimizu, H., Yamamoto, K., Murakami, S., and Nishimoto, T. Mutation in Ran system affected telomere silencing in *Saccharomyces cerevisiae*. *Biochem. Biophys. Res. Comm.*, 363, 788-794, 2007
10. Wakasugi, M., Matsuura, K., Nagasawa, A., Tao Fu, D., Shimizu, H., Yamamoto, K., Takeda, S., and Matsunaga, T. DDB1 gene disruption causes a severe growth defect and apoptosis in chicken DT40 cells. *Biochem. Biophys. Res. Comm.*, 364, 771-777, 2007
11. Ishikawa, K., Ishii, H., Murakumo, Y., Mimori, K., Kobayashi, M., Yamamoto, K., Mori, M., Nishino, H., Furukawa, Y., and Ichimura, K. Rad9 modulates the p21^{waf1} pathway by direct association with p53. *BMC Mol. Biol.*, 8, 37-47, 2007
12. Nomme, J., Takizawa, Y., Martinez, S., Renodon-Cornière, A., Fabrice Fleury, F., Weigel, P.,

- Ken-ichi Yamamoto, K., Hitoshi Kurumizaka, H., and Takahashi, M. Inhibition of filament formation of human Rad51 protein by a small peptide derived from the BRC motif of the BRCA2 protein. *Genes to Cells*, 13, 471-481, 2008
13. Oka, H., Sakai, W., Eiichiro Sonoda, E., Nakamura, J., Asagoshi, K., Wilson, S.H., Heierhorst, J., Masahiko Kobayashi, M., Kenichi Yamamoto, K., Takeda, S., and Taniguchi, N. DNA damage response protein ASCIZ links base excision repair with immunoglobulin gene conversion. *Biochem. Biophys. Res. Comm.*, 371, 225-229, 2008
 14. Saberi, A., Nakahara, M., Sale, J.E., Kikiti, K., Arakawa, H., Buerstedde, J-M., Yamamoto, K., Takeda, S., and Sonoda, E. 9-1-1 required for Ig gene conversion. *Mol. Cell. Biol.*, 28, 6113-6122, 2008
 15. Nishino, K., Inoue, E., Takada, S., Abe, T., Akita, M., Yoshimura, A., Tada, S., Kobayashi, M., Yamamoto, K., Seki, M., and Enomoto, T. A novel role for Rad17 in homologous recombination. *GGG*, 83, 427-431, 2008