

INDEX SEMINUM No.3 (1992-1993) : List of seeds for exchange

メタデータ	言語: eng 出版者: 公開日: 2017-10-05 キーワード (Ja): キーワード (En): 作成者: 大串, 龍一, 木下, 栄一郎 メールアドレス: 所属:
URL	http://hdl.handle.net/2297/29603

INDEX SEMINUM

No. 3 (1992 - 1993)

List of seeds for exchange

BOTANIC GARDEN
FACULTY OF SCIENCE
KANAZAWA UNIVERSITY

Director : Ryoh-ichi Ohgushi
Curator : Eiichiro Kinoshita

All seeds on the list are collected from natural habitat in 1992. Seeds are kept in refrigerator and we would send them out upon your request. The Botanic Garden of Kanazawa University is collecting the following taxa:

Apiaceae
Arisaema (Araceae)
Ceratopteris (Parkeriaceae)
Impatiens (Balsaminaceae)
Lardizabalaceae
Ranunculaceae

We would be appreciated with your cooperation.

Apiaceae

- 1 *Angelica pubescens* Maxim.
- 3 *Anthriscus sylvestris* (Linn.) Hoffm.
- 4 *Chamaele decumbens* (Thunb.) Makino
- 5 *Cicuta virosa* Linn.
- 6 *Conioselinum filicinum* (Wolff) Hara
- 7 *Peucedanum multivittatum* Maxim.
- 8 *Sanicula chinensis* Bunge

Araceae

- 9 *Arisaema iyoanum* Makino
- 10 *Arisaema kishidae* Makino ex Nakai
- 11 *Arisaema ringens* (Thunb.) Schott
- 12 *Arisaema serratum* (Thunb.) Schott

Araliaceae

- 13 *Acanthopanax sciadophylloides* Franch. et Savat.
- 14 *Panax japonicus* C. A. Meyer

Asteraceae

- 15 *Ainsliaea acerifolia* Sch.-Bip. var. *subapoda* Nakai
- 16 *Anaphalis margaritacea* (Linn.) Benth. et Hook. f.
- 17 *Arnica sachalinensis* (Regel) A. Gray
- 18 *Aster glehnii* Fr. Schm. var. *hondoensis* Kitam.
- 19 *Cirsium yezoense* (Maxim.) Makino
- 20 *Eupatorium chinense* Linn. ssp. *sachalinense* (Fr. Schm.) Kitam. ex Murata
- 22 *Hieracium japonicum* Franch. et Savat.
- 23 *Pertya scandens* (Thunb.) Sch.-Bip.
- 24 *Picris hieracioides* Linn. var. *alpina* Koidz.
- 25 *Picris hieracioides* Linn. var. *glabrescens* (Regel) Ohwi
- 26 *Saussurea pulchella* Fisch. ex DC.
- 27 *Solidago virga-aurea* Linn. var. *leiocarpa* (Benth.) Miq.
- 28 *Synurus pungens* (Franch. et Savat.) Kitam.

Balsaminaceae

- 29 *Impatiens hypophylla* Makino
- 31 *Impatiens textori* Miq.

Berberidaceae

- 32 *Caulophyllum robustum* Maxim.
- 33 *Diphylleia grayi* Fr. Schm.

Betulaceae

- 34 *Alnus fauriei* Léveillé
- 35 *Alnus japonica* (Thunb.) Steud.
- 36 *Alnus maximowiczii* Callier
- 37 *Alnus pendula* Matsum.
- 38 *Alnus sieboldiana* Matsum.
- 39 *Betula ermanii* Cham.

Brassicaceae

- 40 *Eutrema japonica* (Miq.) Koidz.

Buxaceae

- 41 *Pachysandra terminalis* Sieb. et Zucc.

Campanulaceae

- 42 *Adenophora remotiflora* (Sieb. et Zucc.) Miq.
 43 *Campanula punctata* Lam. var. *hondoensis* Kitam.
 44 *Codonopsis lanceolata* (Sieb. et Zucc.) Trautv.
 45 *Lobelia sessilifolia* Lamb.

Caprifoliaceae

- 46 *Lonicera japonica* Thunb.
 47 *Viburnum dilatatum* Thunb.
 48 *Viburnum opulus* Linn. var. *calvescens* (Rehd.) Hara
 49 *Viburnum wrightii* Miq.
 50 *Weigela hortensis* (Sieb. et Zucc.) K. Koch

Caryophyllaceae

- 52 *Lychnis gracillima* (Rohrb.) Makino
 53 *Silene repens* Patrin

Celastraceae

- 54 *Euonymus macropterus* Rupr.
 55 *Euonymus oxyphyllus* Miq.
 56 *Tripterygium regelii* Sprague et Takeda

Cephalotaxaceae

- 57 *Cephalotaxus harringtonia* (Knight) K. Koch var. *nana* (Nakai) Rehder

Coriariaceae

- 58 *Coriaria japonica* A. Gray

Cornaceae

- 59 *Cornus macrophylla* Wall.

Cucurbitaceae

- 60 *Trichosanthes cucumeroides* (Ser.) Maxim.

Daphniphyllaceae

- 61 *Daphniphyllum macropodum* Miq.

Diapensiaceae

- 62 *Schizocodon soldanelloides* (Sieb. et Zucc.) Makino f. *alpinus* (Maxim.) Takeda

Empetraceae

- 63 *Empetrum nigrum* Linn. var. *japonicum* K. Koch

Ericaceae

- 64 *Gaultheria adenothrix* Maxim.
 66 *Gaultheria miqueliana* Takeda
 67 *Lyonia ovalifolia* (Wall.) Drude var. *elliptica* (Sieb. et Zucc.) Hand.-Mazz.
 68 *Menziesia pentandra* Maxim.
 69 *Phyllodoce nipponica* Makino
 70 *Rhododendron aureum* Georgi
 71 *Vaccinium praestans* Lamb.

Euphorbiaceae

- 72 *Mallotus japonicus* (Thunb.) Muell.-Arg.

Fabaceae

- 73 *Cassia mimosoides* Linn. ssp. *nomame* (Sieb.) Ohashi
74 *Glycine max* (Linn.) Merr. ssp. *soja* (Sieb. et Zucc.) Ohashi
75 *Wisteria floribunda* (Willd.) DC.

Gentianaceae

- 76 *Gentiana makinoi* Kusnez.
77 *Tripterospermum japonicum* (Sieb. et Zucc.) Maxim.

Geraniaceae

- 79 *Geranium thunbergii* Sieb. et Zucc.

Hypericaceae

- 82 *Hypericum erectum* Thunb.
83 *Hypericum kamtschaticum* Ledeb. var. *hondoensis* Y. Kimura

Iridaceae

- 84 *Belamcanda chinensis* (Linn.) DC.
85 *Iris laevigata* Fisch.

Juglandaceae

- 86 *Pterocarya rhoifolia* Sieb. et Zucc.

Lamiaceae

- 87 *Lycopus maackianus* (Maxim.) Makino
88 *Nepeta subsessilis* Maxim.
89 *Rabdosia trichocarpa* (Maxim.) Hara

Lardizabalaceae

- 90 *Akebia pentaphylla* Makino
91 *Akebia quinata* (Thunb.) Decaisne
93 *Stauntonia hexaphylla* (Thunb.) Decaisne

Lauraceae

- 94 *Lindera umbellata* Thunb.

Liliaceae

- 95 *Aletris foliata* (Maxim.) Bureau et Franch.
96 *Clintonia udensis* Trautv. et Mey
97 *Disporum smilacinum* A. Gray
98 *Fritillaria camtschaticensis* (L.) Ker-Gawl.
99 *Hosta sieboldii* (Paxton) J. Ingram f. *lancifolia* (Miq.) Hara
101 *Lilium cordatum* (Thunb.) Koidz.
102 *Lilium leichtlinii* Hook. var. *tigrinum* (Regel) Nichols
103 *Liriope muscari* (Decne.) Bailey
104 *Maianthemum dilatatum* (Wood) Nels. et Macbr.
105 *Ophiopogon japonicus* (Linn. fil.) Ker-Gawl.
106 *Paris japonica* (Franch. et Savat.) Franch.
107 *Paris tetraphylla* A. Gray
108 *Polygonatum falcatum* A. Gray
109 *Smilacina japonica* A. Gray

- 110 *Smilax china* Linn.
 111 *Smilax nipponica* Miq.
 112 *Streptopus amplexifolius* (Linn.) DC. var. *papillatus* Ohwi
 113 *Veratrum stamineum* Maxim.

Magnoliaceae

- 114 *Magnolia praecocissima* Koidz.

Menispermaceae

- 116 *Cocculus orbiculatus* (Linn.) Forman

Menyanthaceae

- 118 *Fauria crista-galli* (Menz.) Makino

Moraceae

- 119 *Humulus japonicus* Sieb. et Zucc.
 120 *Humulus lupulus* Linn. var. *cordifolius* Maxim.

Oleaceae

- 121 *Ligustrum obtusifolium* Sieb. et Zucc.

Onagraceae

- 122 *Epilobium cephalostigma* Hausskn.

Papaveraceae

- 123 *Corydalis incisa* (Thunb.) Pers.
 124 *Macleaya cordata* (Willd.) R. Br.

Phrymaceae

- 126 *Phryma leptostachya* Linn. ssp. *asiatica* Hara

Pinaceae

- 127 *Pinus parviflora* Sieb. et Zucc. var. *pentaphylla* (Mayr) Henry
 128 *Pinus pumila* (Pall.) Regel
 129 *Pinus* x *hakkodensis* Makino

Pittosporaceae

- 130 *Pittosporum tobira* (Thunb.) Ait.

Poaceae

- 131 *Miscanthus sinensis* Anderss.

Polygonaceae

- 132 *Antenoron filiforme* (Thunb.) Roberty et Vautier
 133 *Reynoutria japonica* Houtt.
 134 *Rumex acetosa* Linn.

Primulaceae

- 135 *Lysimachia clethroides* Duby
 136 *Lysimachia mauritiana* Lam.
 137 *Lysimachia thyrsoiflora* Linn.

Ranunculaceae

- 138 *Aquilegia buergeriana* Sieb. et Zucc.

- 140 *Cimicifuga acerina* (Sieb. et Zucc.) C. Tanaka var. *peltata* (Makino) Hara
- 141 *Clematis alpina* (Linn. Miller ssp. *ochotensis* (Pall.) O. Kuntze. var. *fujijamana* O. Kuntze.
- 142 *Clematis apiifolia* DC.
- 143 *Clematis stans* Sieb. et Zucc.
- 144 *Clematis terniflora* DC.
- 145 *Ranunculus japonicus* Thunb.
- 146 *Thalictrum aquilegifolium* Linn. var. *intermedium* Nakai
- 147 *Thalictrum filamentosum* Maxim. var. *tenurum* (H. Boiss.) Ohwi
- 148 *Trautvetteria japonica* Sieb. et Zucc.

Rosaceae

- 149 *Aruncus dioicus* (Walt.) Fernald var. *tenuifolius* (Nakai) Hara
- 150 *Duchesnea chrysantha* (Zoll. et Mor.) Miq.
- 151 *Duchesnea indica* (Andr.) Focke
- 152 *Geum pentapetalum* (Linn.) Makino
- 154 *Malus toringo* (Sieb.) Sieb. ex Vriese
- 155 *Pourthiaea villosa* (Thunb.) Decne. var. *laevis* (Thunb.) Stapf
- 156 *Prunus grayana* Maxim.
- 157 *Rhaphiolepis umbellata* (Thunb.) Makino
- 158 *Rosa wichuraiana* Crep.
- 159 *Sorbus sambucifolia* (Cham. et Schltdl.) Roem.

Rubiaceae

- 160 *Galium kamtschaticum* Steller var. *acutifolium* Hara
- 161 *Galium spurium* Linn. var. *echinospermon* (Wallr.) Hayek
- 162 *Lasianthus japonicus* Miq.

Rutaceae

- 163 *Zanthoxylum ailanthoides* Sieb. et Zucc.

Salicaceae

- 165 *Salix yezoalpina* Koidz.

Saxifragaceae

- 166 *Astilbe thunbergii* (Sieb. et Zucc.) Miq. var. *congesta* H. Boiss.
- 167 *Cardiandra alternifolia* Sieb. et Zucc.
- 168 *Deutzia crenata* Sieb. et Zucc.
- 169 *Hydrangea luteo-venosa* Koidz.
- 170 *Tiarella polyphylla* D. Don

Scrophulariaceae

- 171 *Pedicularis chamissonis* Steven var. *japonica* Maxim.
- 173 *Veronicastrum japonicum* (Refin.) Yamazaki

Solanaceae

- 174 *Solanum lyratum* Thunb.
- 175 *Tubocapsicum anomalum* (Franch. et Savat.) Makino

Staphyleaceae

- 176 *Euscaphis japonica* (Thunb.) Kanitz

Styracaceae

- 177 *Styrax japonicus* Sieb. et Zucc.

Taxaceae

- 178 *Taxus cuspidata* Sieb. et Zucc.
179 *Taxus cuspidata* Sieb. et Zucc. var. *nana* Rehd.

Vitaceae

- 180 *Ampelopsis glandulosa* (Wall.) Momiyama var. *heterophylla* (Thunb.)
Momiyama
181 *Parthenocissus tricuspidata* (Sieb. et Zucc.) Planch.
182 *Vitis ficifolia* Bunge var. *lobata* (Regel) Nakai

Zingiberaceae

- 183 *Alpinia japonica* (Thunb.) Miq.