

植物地理・分類研究 Vol. 58, No. 2 (表紙, 目次, 奥付)

メタデータ	言語: jpn 出版者: 公開日: 2019-03-07 キーワード (Ja): キーワード (En): 作成者: 植物地理・分類学会, The Society for the Study of Phytogeography and Taxonomy, メールアドレス: 所属:
URL	http://hdl.handle.net/2297/00053438

This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 International License.



Volume 58. No. 2
March 2011

ISSN 0388—6212

植物地理・分類研究

(通卷 第 168 号)

THE JOURNAL OF PHYTOGEOGRAPHY AND TAXONOMY



植物地理・分類学会

PUBLISHED BY
THE SOCIETY FOR THE STUDY OF
PHYTOGEOGRAPHY AND TAXONOMY

目 次

受賞記念講演記録

細井幸兵衛：青森県の北限・南限植物 77

論文

中西弘樹：グンバイヒルガオの海流散布の現状とその分布拡大 89

何思・宋鍾碩：韓国済州島の蘚類植物相：追加記録と更新された総目録 97

短報

谷口寿仁・高橋耕一：河川敷における外来植物ビロードモウズイカの微地形の嗜好性と種子生産 109

中藤成実・兵頭正治：愛媛県産三倍体セフリイノモトソウ（イノモトソウ科）はどのようにして生じたか 115

ノート

上野達也：絶滅危惧種コイブキアザミ（キク科）の現況 123

新刊紹介 131

植物関連雑誌のタイトル紹介 132

会記 136

表紙図の説明：

描かれた植物は、ユリ科バイモ属コシノコバイモで、山形県から石川県の日本海側とまれに岐阜県、愛知県、静岡県にも分布する。北陸では産地も個体数も多く、他地域と比べ大形である。本学会が金沢で生まれ北陸を中心に発展してきたことから、この北陸の植物を表紙に使用した。図は梅林正芳氏が描いたもの。

Explanation of figure on the cover:

This drawing shows *Fritillaria koidzumina* Ohwi, Liliaceae. It thrives across Japan in regions along the Japan Sea, from Yamagata to Ishikawa. In rare cases it is also found in Gifu, Aichi and Shizuoka. There is an especially large population in Hokuriku, where the plant is considerably larger than in other regions. Since our academic conference was established in Kanazawa and developed around Hokuriku, we have chosen this plant as an emblem for the front cover of the Journal of Phytogeography and Taxonomy. The drawing is by Dr. Masayoshi Umebayashi.

CONTENTS

Paper for the lecture of the Society's Award

- Koubei Hosoi : The northern- and southern limit plants in Aomori Prefecture, Japan 77

Articles

- Hiroki Nakanishi : Distribution expansion and current-dispersal of *Ipomoea pes-caprae* (L.) R. Br. (Convolvulaceae) 89
Si He and Jong-Suk Song : The mosses of Jeju Island, Korea: New records and an updated checklist 97

Short communications

- Toshito Taniguchi and Koichi Takahashi : Microhabitat preference and seed production of exotic species *Verbascum thapsus* (Scrophulariaceae) at a riverside in central Japan 109
Narumi Nakato and Shoji Hyodo : The origin of triploid *Pteris ×sefuricola* (Pteridaceae) from Ehime Prefecture, Japan 115

Miscellaneous note

- Tatsuya Ueno : Current condition of *Cirsium confertissimum* Nakai s. str. (Asteraceae), an endangered species 123

- Book reviews** 131

- Titles of articles in botanical journals** 132

- Announcements** 136

編集委員会 (Editorial Board)

編集委員長 (Editor-in-Chief) 加藤 雅啓 (Masahiro Kato, *Tsukuba*)

主任編集委員 (Managing Editor) 中田 政司 (Masashi Nakata, *Toyama*)

岩坪 美兼 (Yoshikane Iwatsubo, *Toyama*) 木下栄一郎 (Eiichiro Kinoshita, *Kanazawa*)

高橋 弘 (Hiroshi Takahashi, *Gifu*) 福嶋 司 (Tukasa Hukusima, *Tokyo*)

和田 直也 (Naoya Wada, *Toyama*) 繩野 泰行 (Yasuyuki Watano, *Chiba*)

Madjit I. Hakki (Berlin, *Germany*) Frederick H. Utech (Pittsburgh, *U.S.A.*)

2011年3月30日発行 発 行 植物地理・分類学会
〒920-1147 金沢市銚子町411 石川県立自然史資料館内
編集責任者 中田 政司
〒939-2713 富山市婦中町上轡田42 富山県中央植物園
印 刷 所 能登印刷株式会社
〒920-0855 金沢市武蔵町7番10号